

SMART LIGHTING SMART IDEAS CATALOGUE



Edition
2025-R2

Let's Talk About Lighting...

LIGHTBERRY LED LIGHTS
MAKING LIFE
BRIGHTER & BETTER



**LIGHTBERRY**[®]
SMART LIGHTING SMART IDEAS
AN ISO 9001:2015 Certified Company



INDEX

1 CIANA ----- PAGE 1-30

2 ELLINOR ----- PAGE 31-46

3 ALLEY ----- PAGE 47-53

4 AVENUE ----- PAGE 54-57

5 BLAZE ----- PAGE 58

6 GLARE ----- PAGE 59-63

7 MOONLIT ----- PAGE 64-85

8 SPARKLE ----- PAGE 86-92

9 POWER PLUS ----- PAGE 93-94


10 HALOGEN ----- PAGE 95

11 LUMIERE ----- PAGE 96-98

12 MAGNETIC ----- PAGE 99-103

 CN-2004	 CN-1006	 CN-5008	 CN-3001	 CN-3002
 CN-3004	 CN-3006	 CN-3007	 CN-3009	 CN-3010
 CN-2007	 CN-2008	 CN-8010	 CN-8010	 CN-4007
 CN-2011	 CN-9001	 CN-9002	 CN-9003	 CN-8003
 CN-4009	 CN-5004	 CN-5005	 CN-2005	 CN-2002
 CN-1001	 CN-4001	 CN-4004	 CN-6001	 CN-4006
 CN-2003	 CN-2003	 CN-1007	 CN-4008	 CN-2009

Dimension given are for Reference only


 CN-2009	 CN-3003	 CN-4005	 CN-3005	 CN-2014
 CN-2012	 CN-1005	 CN-513	 CN-1004	 CN-2001
 CN-2006	 CN-4003	 CN-1003	 CN-1013/1014	 CN-1008
 CN-R029/CN-R025	 CN-R026/CN-R032	 CN-4010B	 CN-1002	 CN-2015
 CN-2017	 CN-2018	 CN-2020	 CN-2019	 CN-3001
 CN-2021	 CN-2022	 CN-8004	 CN-8005	 CN-8006
 CN-8008	 CN-8009	 CN-8013	 CN-6002	 CN-6002

Dimension given are for Reference only

 CN-6002	 CN-8014	 CN-8015	 CN-8016	 CN-8017
 CN-8018	 CN-8019	 CN-8020	 CN-8021	 CN-2023
 CN-8024	 CN-8025	 CN-8025	 CN-8027	 CN-8028
 CN-8029	 CN-8031	 CN-8032	 CN-8035	 CN-8001
 CN-8033	 CN-8034	 CN-8037	 CN-8038	 CN-8039
 CN-8040	 CN-8042	 CN-8051	 CN-8051	 CN-8052
 CN-8053	 CN-8054	 CN-8066	 CN-8067	

Dimension given are for Reference only


COB SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-2004-3	3W	Ø46XH44mm	Ø39mm	≥ 300 LM	50 Nos.
CN-2004-7	7W	Ø60XH65mm	Ø51mm	≥ 700 LM	50 Nos.
CN-2004-12	12W	Ø85XH62mm	Ø75mm	≥ 1200 LM	50 Nos.
CN-2004-15	15W	Ø85XH80mm	Ø75mm	≥ 1500 LM	50 Nos.
CN-2004-20	20W	Ø100XH92mm	Ø90mm	≥ 2000 LM	20 Nos.
CN-2004-25	25W	Ø130XH120mm	Ø115mm	≥ 2500 LM	10 Nos.
CN-2004-30	30W	Ø130XH120mm	Ø115mm	≥ 3000 LM	10 Nos.
CN-2004-50	50W	Ø185XH127mm	Ø170mm	≥ 5000 LM	10 Nos.


PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-6005-7	7W	Ø75XH65 mm	Ø65 mm	≥ 700 LM	50 Nos.

COB SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-1006-3	3W	Ø46XH44 mm	Ø39 mm	≥ 300 LM	50 Nos.
CN-1006-7	7W	Ø75XH57 mm	Ø65 mm	≥ 700 LM	50 Nos.
CN-1006-12	12W	Ø85XH65 mm	Ø75 mm	≥ 1200 LM	50 Nos.
CN-1006-15	15W	Ø85XH75 mm	Ø75 mm	≥ 1500 LM	50 Nos.
CN-1006-20	20W	Ø95XH82 mm	Ø85 mm	≥ 2000 LM	20 Nos.


CIANA TWIN TONE SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-5008-7	7W	Ø74XH65 mm	Ø65 mm	≥ 700 LM	50 Nos.
CN-5008-12	12W	Ø84XH76 mm	Ø75 mm	≥ 1200 LM	50 Nos.


Dimension given are for Reference only

CIANA SQUARE SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-3001-7	7W	Ø74XH61 mm	Ø54 mm	≥ 700 LM	50 Nos.
CN-3001-12	12W	Ø84XH68 mm	Ø63 mm	≥ 1200 LM	50 Nos.
CN-3001-15	15W	Ø94XH81 mm	Ø68 mm	≥ 1500 LM	50 Nos.
CN-3001-18	18W	Ø94XH81 mm	Ø68 mm	≥ 1800 LM	20 Nos.

CIANA MOVABLE SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-3002-12	1X12W	Ø120X120XH77 mm	Ø103X103 mm	≥ 1200 LM	20 Nos.
CN-3002-15	1X15W	Ø120X120XH77 mm	Ø103X103 mm	≥ 1500 LM	20 Nos.
CN-3002-18	1X18W	Ø120X120XH77 mm	Ø103X103 mm	≥ 1800 LM	20 Nos.
CN-3002-24	2X12W	Ø120X220XH77 mm	Ø103X195 mm	≥ 2400 LM	20 Nos.
CN-3002-30	2X15W	Ø120X220XH77 mm	Ø103X195 mm	≥ 3000 LM	20 Nos.
CN-3002-36	2X18W	Ø120X220XH77 mm	Ø103X195 mm	≥ 3600 LM	20 Nos.
CN-3002-36	3X12W	Ø120X313XH77 mm	Ø103X288 mm	≥ 3600 LM	20 Nos.
CN-3002-45	3X15W	Ø120X313XH77 mm	Ø103X288 mm	≥ 4500 LM	20 Nos.
CN-3002-54	3X18W	Ø120X313XH77 mm	Ø103X288 mm	≥ 5400 LM	20 Nos.
CN-3002-30	1X30W	Ø136X136XH100 mm	Ø125X125 mm	≥ 3000 LM	20 Nos.
CN-3002-60	2X30W	Ø136X259XH100 mm	Ø125X238 mm	≥ 6000 LM	20 Nos.

CIANA EYE SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-3004-9	9W	Ø65XH60 mm	Ø54mm	≥ 900 LM	50 Nos.


CIANA SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-3006-10	10W	Ø84XH85 mm	Ø76mm	≥ 1000 LM	50 Nos.
CN-3006-15	15W	Ø84XH85 mm	Ø76mm	≥ 1500 LM	50 Nos.


Dimension given are for Reference only

CIANA DIET SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-3007-7	7W	Ø60XH80 mm	Ø53 mm	≥ 700 LM	50 Nos.
CN-3007-12	12W	Ø70XH95 mm	Ø62 mm	≥ 1200 LM	50 Nos.
CN-3007-15	15W	Ø70XH95 mm	Ø62 mm	≥ 1500 LM	50 Nos.
CN-3007-18	18W	Ø85XH125 mm	Ø75 mm	≥ 1800 LM	50 Nos.

CIANA SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-3009-7	7W	Ø57XH72 mm	Ø48 mm	≥ 700 LM	50 Nos.
CN-3009-12	12W	Ø68XH80 mm	Ø58 mm	≥ 1200 LM	50 Nos.

CIANA ANTI-GLARE SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-3010-10	10W	Ø85XH70 mm	Ø72 mm	≥ 950 LM	30 Nos.
CN-3010-20	20W	Ø108XH86 mm	Ø92 mm	≥ 1900 LM	30 Nos.

CIANA CONCEAL COB LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-2007-5	5W	Ø55X55XH55mm	Ø50X50 mm	≥ 500 LM	50 Nos.
CN-2007-12	12W	Ø137X60XH55mm	Ø128X50 mm	≥ 1200 LM	20 Nos.
CN-2007-16	16W	Ø95X95XH55mm	Ø85X85 mm	≥ 1600 LM	20 Nos.
CN-2007-20	20W	Ø210X60XH55mm	Ø205X50 mm	≥ 2000 LM	20 Nos.
CN-2007-36	36W	Ø135X135XH55mm	Ø125X125 mm	≥ 3600 LM	10 Nos.

Dimension given are for Reference only


CIANA CONCEAL COB LIGHT



15 W



30 W




3K

4K

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-2008-15	15W	Ø80X80XH70 mm	SURFACE	≥ 1500 LM	40 Nos.
CN-2008-30	30W	Ø120X120XH80 mm	SURFACE	≥ 3000 LM	20 Nos.

CIANA HANGING SPOT LIGHT



3K

4K


5K

6K

3 in 1

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8010-12	12W	Ø75XH83 mm	SURFACE	≥ 1200 LM	20 Nos.
CN-8010-12(WOODEN)	12W	Ø75XH83 mm	SURFACE	≥ 1200 LM	20 Nos.
CN-8010-15	15W	Ø75XH83 mm	SURFACE	≥ 1500 LM	20 Nos.
CN-8010-20	20W	Ø95XH150 mm	SURFACE	≥ 2000 LM	20 Nos.

COB SPOT LIGHT



3K

4K

5K

6K

3 in 1

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-4007-7	7W	Ø70XH50 mm	Ø60 mm	≥ 700 LM	20 Nos.
CN-4007-12	12W	Ø85XH60 mm	Ø75 mm	≥ 1200 LM	20 Nos.
CN-4007-15	15W	Ø85XH60 mm	Ø75 mm	≥ 1500 LM	20 Nos.
CN-4007-18	18W	Ø98XH70 mm	Ø88 mm	≥ 1800 LM	20 Nos.

COB SPOT LIGHT



2WAY-BLK+BLK



3WAY-BLK+BLK




3WAY-WH+RG



5WAY-BLK+BLK



10WAY-BLK+BLK



3K

4K

6K


3 in 1

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-2011-2WAY	5W	Ø45X70XH35 mm	Ø32X60 mm	≥ 500 LM	20 Nos.
CN-2011-3WAY	7W	Ø45X95XH35 mm	Ø32X85 mm	≥ 700 LM	20 Nos.
CN-2011-5WAY	12W	Ø45X147XH35 mm	Ø32X142 mm	≥ 1200 LM	20 Nos.
CN-2011-10WAY	24W	Ø45X280XH35 mm	Ø32X275 mm	≥ 2400 LM	20 Nos.

Dimension given are for Reference only




COB SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-9001-7	7W	Ø70XH50 mm	Ø65 mm	≥ 700 LM	50 Nos.
CN-9001-12	12W	Ø85XH65 mm	Ø80 mm	≥ 1200 LM	50 Nos.
CN-9001-15	15W	Ø85XH65 mm	Ø80 mm	≥ 1500 LM	20 Nos.
CN-9001-18	18W	Ø95XH75 mm	Ø90 mm	≥ 2000 LM	20 Nos.

COB SPOT DOWN LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-9002-8	8W	Ø80XH45 mm	Ø73 mm	≥ 800 LM	20 Nos.
CN-9002-12	12W	Ø80XH45 mm	Ø73 mm	≥ 1200 LM	20 Nos.
CN-9002-18	18W	Ø100XH52 mm	Ø93 mm	≥ 1800 LM	20 Nos.

COB SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-9003-12	12W	Ø85XH34 mm	Ø75 mm	≥ 1200 LM	20 Nos.
CN-9003-18	18W	Ø105XH34 mm	Ø95 mm	≥ 1800 LM	20 Nos.


SURFACE SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8003-3	3W	Ø40XH49 mm	SURFACE	≥ 240 LM	50 Nos.


Dimension given are for Reference only

CIANA TRACK LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-4009-7	7W	Ø50XH83 mm	Ø75 mm	≥ 700 LM	20 Nos.
CN-4009-12	12W	Ø50XH103 mm	Ø75 mm	≥ 1200 LM	20 Nos.

CIANA TRACK LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-5004-7	7W	Ø50XH83 mm	SURFACE	≥ 700 LM	20 Nos.
CN-5004-12	12W	Ø50XH103 mm	SURFACE	≥ 1200 LM	20 Nos.

CIANA TRACK LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-5005-7	7W	Ø50XH83 mm	TRACK	≥ 700 LM	20 Nos.
CN-5005-12	12W	Ø50XH103 mm	TRACK	≥ 1200 LM	20 Nos.


CIANA CONCEAL LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-2005-3	3W	Ø46XH60 mm	Ø38 mm	≥ 270 LM	50 Nos.
CN-2005-5	5W	Ø46XH60 mm	Ø38 mm	≥ 450 LM	50 Nos.


Dimension given are for Reference only

CIANA SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-2002-7	7W	Ø74X63 mm	Ø65 mm	≥ 700 LM	50 Nos.
CN-2002-12	12W	Ø85X76 mm	Ø75 mm	≥ 1200 LM	50 Nos.
CN-2002-15	15W	Ø85X76 mm	Ø75 mm	≥ 1500 LM	50 Nos.
CN-2002-18	18W	Ø95XH90 mm	Ø85 mm	≥ 1800 LM	20 Nos.

RIMLESS COB SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-1001-7	7W	Ø55XH93mm	Ø50 mm	≥ 700 LM	50 Nos.
CN-1001-10	10W	Ø75XH100mm	Ø68 mm	≥ 1000 LM	50 Nos.
CN-1001-15	15W	Ø91XH120mm	Ø87 mm	≥ 1500 LM	20 Nos.
CN-1001-24	24W	Ø128XH130mm	Ø118 mm	≥ 2400 LM	20 Nos.

CIANA COB ZOOM LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-4001-12	12W	Ø85XH102 mm	Ø75 mm	≥ 1200 LM	20 Nos.
CN-4001-24	24W	Ø184XH100 mm	Ø175X90 mm	≥ 2400 LM	20 Nos.

CIANA COB ZOOM LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-4004-8	8W	Ø72XH110 mm	Ø65 mm	≥ 800 LM	20 Nos.
CN-4004-16	16W	Ø70X132XH108 mm	Ø65X120 mm	≥ 1600 LM	20 Nos.


Dimension given are for Reference only

CIANA SURFACE SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-6001-6	6W	Ø40XH95 mm	SURFACE	≥ 600 LM	20 Nos.
CN-6001-18	18W	Ø47XH165 mm	SURFACE	≥ 1800 LM	20 Nos.

CIANA SURFACE SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-4006-12	12W	Ø50XH177 mm	SURFACE	≥ 1200 LM	20 Nos.

CIANA SURFACE CYLINDER



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-2003-7	7W	Ø55XH75 mm	SURFACE	≥ 700 LM	50 Nos.
CN-2003-12	12W	Ø73XH70 mm	SURFACE	≥ 1200 LM	50 Nos.
CN-2003-15	15W	Ø110XH75 mm	SURFACE	≥ 1500 LM	50 Nos.
CN-2003-20	20W	Ø95XH100 mm	SURFACE	≥ 2000 LM	20 Nos.
CN-2003-30	30W	Ø115XH125 mm	SURFACE	≥ 3000 LM	10 Nos.
CN-2003-12 - WOODEN					
CN-2003-12	12W	Ø73XH70 mm	SURFACE	≥ 1200 LM	20 Nos.




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-2003-7	7W	Ø55XH75 mm	SURFACE	≥ 700 LM	50 Nos.
CN-2003-12	12W	Ø73XH70 mm	SURFACE	≥ 1200 LM	50 Nos.
CN-2003-20	20W	Ø95XH100 mm	SURFACE	≥ 2000 LM	20 Nos.

Dimension given are for Reference only




COB SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-1007-7	7W	Ø40XH55 mm	Ø35 mm	≥ 700 LM	50 Nos.
CN-1007-12	12W	Ø59XH82 mm	Ø55 mm	≥ 1200 LM	50 Nos.
CN-1007-18	18W	Ø74XH93 mm	Ø70 mm	≥ 1800 LM	50 Nos.

CIANA SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-4008-7	7W	Ø65XH57 mm	Ø57 mm	≥ 700 LM	50 Nos.
CN-400812	12W	Ø82XH82 mm	Ø75 mm	≥ 1200 LM	50 Nos.
CN-4008-15	15W	Ø82XH82 mm	Ø75 mm	≥ 1500 LM	50 Nos.

CIANA SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-2009-2	2W	Ø45X45XH27mm	Ø37X37mm	≥ 200 LM	50 Nos.
CN-2009-4	4W	Ø75X45XH27 mm	Ø68X37 mm	≥ 400 LM	40 Nos.
CN-2009-4(RG)	4W	Ø75X45XH27 mm	Ø68X37 mm	≥ 400 LM	40 Nos.
CN-2009-10	10W	Ø148X45XH27 mm	Ø140X37 mm	≥ 1000 LM	40 Nos.
CN-2009-10(RG)	10W	Ø148X45XH27 mm	Ø140X37 mm	≥ 1000 LM	40 Nos.
CN-2009-12	12W	Ø148X48XH27 mm	Ø140X37 mm	≥ 1200 LM	40 Nos.
CN-2009-12(RG)	12W	Ø148X48XH27 mm	Ø140X37 mm	≥ 1200 LM	40 Nos.
CN-2009-15	15W	Ø148X45XH27 mm	Ø140X37 mm	≥ 1500 LM	40 Nos.
CN-2009-15(RG)	15W	Ø148X45XH27 mm	Ø140X37 mm	≥ 1500 LM	40 Nos.


CIANA COB SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-3003-3	3W	Ø46XH44 mm	Ø39 mm	≥ 300 LM	50 Nos.
CN-3003-7	7W	Ø60XH65 mm	Ø51 mm	≥ 700 LM	50 Nos.
CN-3003-12	12W	Ø85XH82 mm	Ø75 mm	≥ 1200 LM	50 Nos.


Dimension given are for Reference only

CIANA SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-4005-12	12W	Ø80XH78 mm	Ø86 mm	≥ 1200 LM	50 Nos.

CIANA MOVABLE SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-3005-7	7W	Ø90XH75 mm	Ø80 mm	≥ 700 LM	50 Nos.
CN-3005-12	12W	Ø103XH78 mm	Ø93 mm	≥ 1200 LM	50 Nos.
CN-3005-15	15W	Ø103XH78 mm	Ø93 mm	≥ 1500 LM	50 Nos.
CN-3005-20	20W	Ø138XH111 mm	Ø125 mm	≥ 2000 LM	20 Nos.
CN-3005-24	24W	Ø138XH111 mm	Ø125 mm	≥ 2400 LM	20 Nos.
CN-3005-30	30W	Ø138XH111 mm	Ø125 mm	≥ 3000 LM	20 Nos.

SURFACE TRACK LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-2014-12	12W	Ø65X115XH145 mm	SURFACE	≥ 1200 LM	40 Nos.
CN-2014-20	20W	Ø65X140XH145 mm	SURFACE	≥ 2000 LM	30 Nos.
CN-2014-30	30W	Ø78X155XH150 mm	SURFACE	≥ 3000 LM	30 Nos.
CN-2014-40	40W	Ø80XH150 mm	SURFACE	≥ 4000 LM	10 Nos.
CN-2014-50	50W	Ø90XH178 mm	SURFACE	≥ 5000 LM	10 Nos.


CIANA SURFACE DOWN LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-2012-12	12W	Ø75XH50 mm	SURFACE	≥ 1200 LM	30 Nos.
CN-2012-18	18W	Ø90XH50 mm	SURFACE	≥ 1800 LM	30 Nos.
CN-2012-24	24W	Ø120XH50 mm	SURFACE	≥ 2400 LM	30 Nos.


Dimension given are for Reference only

CIANA ANTI GLARE




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-1005-12	12W	Ø85XH118 mm	Ø 80 mm	≥ 1200 LM	48 Nos.
CN-1005-20	20W	Ø85XH128 mm	Ø 80 mm	≥ 2000 LM	48 Nos.

CIANA ANTI GLARE



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-513-9	9W	Ø90XH95 mm	Ø 75 mm	≥ 900 LM	50 Nos.
CN-513-15	15W	Ø90XH110 mm	Ø 75 mm	≥ 1500 LM	50 Nos.


CIANA SPOT LIGHT



Also Available in 5K

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-1004-7	7W	Ø55XH100 mm	SURFACE	≥ 700 LM	50 Nos.
CN-1004-12	12W	Ø55XH100 mm	SURFACE	≥ 1200 LM	50 Nos.


CIANA SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-2001-12	12W	Ø90XH112 mm	Ø85 mm	≥ 1200 LM	50 Nos.
CN-2001-15	15W	Ø90XH112 mm	Ø85 mm	≥ 1500 LM	50 Nos.
CN-2001-20	20W	Ø90XH112 mm	Ø85 mm	≥ 2000 LM	50 Nos.


Dimension given are for Reference only

CIANA CONCEAL LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-2006-7	7W	Ø50XH55 mm	Ø45 mm	≥ 700 LM	50 Nos.
CN-2006-15	15W	Ø70XH70mm	Ø65 mm	≥ 1500 LM	50 Nos.
CN-2006-24	24W	Ø90XH80 mm	Ø85 mm	≥ 2400 LM	20 Nos.

CONCEAL TRACK LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-4003-12	12W	Ø65X115XH145 mm	TRACK	≥ 1200 LM	30 Nos.
CN-4003-20	20W	Ø65X140XH145 mm	TRACK	≥ 2000 LM	30 Nos.
CN-4003-30	30W	Ø78X155XH150 mm	TRACK	≥ 3000 LM	30 Nos.
CN-4003-40	40W	Ø80XH150 mm	TRACK	≥ 4000 LM	10 Nos.
CN-4003-50	50W	Ø90XH178 mm	TRACK	≥ 5000 LM	10 Nos.

CIANA ZOOM LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-1003-12	12W	Ø90XH67 mm	Ø75 mm	≥ 1200 LM	20 Nos.
CN-1003-20	20W	Ø110XH80 mm	Ø95 mm	≥ 2000 LM	20 Nos.
CN-1003-30	30W	Ø130XH110 mm	Ø115 mm	≥ 3000 LM	20 Nos.
CN-1003-40	40W	Ø165XH130 mm	Ø145 mm	≥ 4000 LM	20 Nos.


CIANA SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-1012-5	5W	Ø50XH61 mm	Ø45 mm	≥ 500 LM	20 Nos.
CN-1013-9	9W	Ø65XH75 mm	Ø60 mm	≥ 900 LM	20 Nos.
CN-1014-15	15W	Ø84XH95 mm	Ø77 mm	≥ 1500 LM	20 Nos.


Dimension given are for Reference only

CIANA SURFACE CYLINDER




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-1008-8	8W	Ø55XH75 mm	SURFACE	≥ 800 LM	20 Nos.
CN-1008-12	12W	Ø75XH100 mm	SURFACE	≥ 1200 LM	20 Nos.
CN-1008-20	20W	Ø95XH125 mm	SURFACE	≥ 2000 LM	20 Nos.
CN-1008-30	30W	Ø95XH160 mm	SURFACE	≥ 3000 LM	20 Nos.

CIANA SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-R029-7	7W	Ø85XH80 mm	Ø75 mm	≥ 700 LM	20 Nos.
CN-R029-15	15W	Ø142XH80 mm	Ø125 mm	≥ 1500 LM	20 Nos.
CN-R025-10	10W	Ø76XH58 mm	Ø65 mm	≥ 1000 LM	20 Nos.
CN-R026-10	10W	Ø85XH72 mm	Ø75 mm	≥ 1000 LM	20 Nos.
CN-R032-10	10W	Ø85XH80 mm	Ø75 mm	≥ 1000 LM	20 Nos.

CIANA SURFACE SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-4010B-18	18W	Ø80XH124 mm	SURFACE	≥ 1800 LM	20 Nos.
CN-1002-15	15W	Ø100XH105 mm	SURFACE	≥ 1500 LM	20 Nos.


Dimension given are for Reference only



CIANA SURFACE CYLINDER




ANTIGLARE HONEY COMB REFLECTOR




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-2015-7	7W	Ø65XH52 mm	Ø55 mm	≥ 700 LM	50 Nos.
CN-2015-12	12W	Ø85XH63 mm	Ø75 mm	≥ 1200 LM	50 Nos.
CN-2015-15	15W	Ø85XH63 mm	Ø75 mm	≥ 1500 LM	50 Nos.
CN-2015-18	18W	Ø105XH77 mm	Ø95 mm	≥ 2000 LM	20 Nos.

COB SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-2017-7	7W	Ø65XH82 mm	Ø55 mm	≥ 700 LM	50 Nos.
CN-2017-12	12W	Ø85XH85 mm	Ø75 mm	≥ 1200 LM	50 Nos.
CN-2017-15	15W	Ø85XH85 mm	Ø75 mm	≥ 1500 LM	50 Nos.
CN-2017-18	18W	Ø110XH118 mm	Ø95 mm	≥ 1800 LM	20 Nos.

COB SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-2018-7	7W	Ø39XH52 mm	Ø35 mm	≥ 700 LM	20 Nos.
CN-2018-12	12W	Ø60XH63 mm	Ø55 mm	≥ 1200 LM	20 Nos.
CN-2018-15	15W	Ø60XH63 mm	Ø55 mm	≥ 1500 LM	20 Nos.


COB SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-2020-12	12W	Ø 75 mm	SURFACE	≥ 1200 LM	20 Nos.
CN-2020-15	15W	Ø 75 mm	SURFACE	≥ 1500 LM	20 Nos.


Dimension given are for Reference only

COB SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-2019-14	2X7W	Ø162X83H85 mm	Ø155XH77mm	≥ 1400 LM	20 Nos.
CN-2019-24	2X12W	Ø162X83H85 mm	Ø155XH77mm	≥ 2400 LM	20 Nos.
CN-2019-30	2X15W	Ø162X83H85 mm	Ø155XH77mm	≥ 3000 LM	20 Nos.
CN-3001-7	7W	Ø74XH61 mm	Ø54 mm	≥ 700 LM	50 Nos.
CN-3001-12	12W	Ø84XH68 mm	Ø63 mm	≥ 1200 LM	50 Nos.
CN-3001-15	15W	Ø94XH81 mm	Ø68 mm	≥ 1500 LM	50 Nos.
CN-3001-18	18W	Ø94XH81 mm	Ø68 mm	≥ 1800 LM	20 Nos.

FIXED PENCIL COB SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-2021-7	7W	Ø 34XH80 mm	Ø 32 mm	≥ 700 LM	20 Nos.
CN-2021-12	12W	Ø 44XH90 mm	Ø 42 mm	≥ 1200 LM	20 Nos.


MOVABLE PENCIL COB SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-2022-7	7W	Ø 34XH80 mm	Ø 32 mm	≥ 700 LM	20 Nos.
CN-2022-12	12W	Ø 44XH90 mm	Ø 42 mm	≥ 1200 LM	20 Nos.


Dimension given are for Reference only

MULTI ANGLE COB SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8004-7	7W	Ø90XH92 mm	Ø 82 mm	≥ 700 LM	20 Nos.
CN-8004-12	12W	Ø90XH92 mm	Ø 82 mm	≥ 1200 LM	20 Nos.
CN-8004-15	15W	Ø90XH92 mm	Ø 82 mm	≥ 1500 LM	20 Nos.

SURFACE ZOOM CYLINDER LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8005-7	7W	Ø58XH84 mm	SURFACE	≥ 700 LM	20 Nos.
CN-8005-12	12W	Ø72XH95 mm	SURFACE	≥ 1200 LM	20 Nos.
CN-8005-15	15W	Ø72XH95 mm	SURFACE	≥ 1500 LM	20 Nos.
CN-8005-20	20W	Ø86XH110 mm	SURFACE	≥ 2000 LM	20 Nos.

SMART COB SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8006-7	7W	Ø75XH60 mm	Ø65 mm	≥ 700 LM	50 Nos.
CN-8006-12	12W	Ø85XH65 mm	Ø75 mm	≥ 1200 LM	50 Nos.
CN-8006-15	15W	Ø85XH65 mm	Ø75 mm	≥ 1500 LM	50 Nos.
CN-8006-20	20W	Ø95XH65 mm	Ø85 mm	≥ 2000 LM	20 Nos.


SMART COB SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8008-12	12W	Ø 85XH70 mm	Ø 75 mm	≥ 1200 LM	20 Nos.
CN-8008-15	15W	Ø 85XH70 mm	Ø 75 mm	≥ 1500 LM	20 Nos.


Dimension given are for Reference only

SMART PULLOUT ZOOM FITTING




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8009-7	1X7W	Ø 62XH86 mm	Ø 58 mm	≥ 700 LM	20 Nos.
CN-8009-14	2X7W	Ø130X69XH91 mm	Ø121X60 mm	≥ 1400 LM	20 Nos.
CN-8009-24	2X12W	Ø180X91XH116 mm	Ø164X77 mm	≥ 2400 LM	20 Nos.

HEAVY DUTY TRACK LIGHT FITTING



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8013-20	20W	Ø140XH130 mm	TRACK	≥ 2000 LM	20 Nos.
CN-8013-25	25W	Ø140XH130 mm	TRACK	≥ 2500 LM	20 Nos.
CN-8013-30	30W	Ø145XH135 mm	TRACK	≥ 3000 LM	20 Nos.
CN-8013-40	40W	Ø145XH135 mm	TRACK	≥ 4000 LM	20 Nos.


SURFACE / CONCEAL TRACK LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
CN-6002-3	3W	D40XL73 mm - B-60XH50 mm	≥ 300 LM	50 Nos.
CN-6002-6	6W	D50XL95 mm - B-60XH30 mm	≥ 600 LM	50 Nos.
CN-6002-9	9W	D60XL105 mm - B-75XH30 mm	≥ 900 LM	50 Nos.
CN-6002-16	16W	Coming Soon	≥ 1600 LM	50 Nos.
CN-6002-24	24W	Coming Soon	≥ 2400 LM	-
CN-6002-30	30W	Coming Soon	≥ 3000 LM	10 Nos.
CN-6002-50	50W	Coming Soon	≥ 5000 LM	10 Nos.


Dimension given are for Reference only

COB SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8014-7	7W	Ø61XH79 mm	Ø 55 mm	≥ 700 LM	20 Nos.
CN-8014-12	12W	Ø84XH100 mm	Ø 75 mm	≥ 1200 LM	20 Nos.
CN-8014-15	15W	Ø84XH100 mm	Ø 75 mm	≥ 1500 LM	20 Nos.
CN-8014-20	20W	Ø110XH122 mm	Ø 95 mm	≥ 2000 LM	20 Nos.

COB SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8015-7	7W	Ø60XH73 mm	Ø 50 mm	≥ 700 LM	20 Nos.
CN-8015-12	12W	Ø86XH104 mm	Ø 75 mm	≥ 1200 LM	20 Nos.
CN-8015-15	15W	Ø86XH104 mm	Ø 75 mm	≥ 1500 LM	20 Nos.
CN-8015-20	20W	Ø105XH119 mm	Ø 95 mm	≥ 2000 LM	20 Nos.

LOW DEEP COB LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8016-10	10W	Ø85XH65 mm	Ø 75 mm	≥ 1000 LM	20 Nos.
CN-8016-15	15W	Ø85XH90 mm	Ø 75 mm	≥ 1500 LM	20 Nos.

WATER PROOF COB SPOT LIGHT



With IP 65 Driver



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8017-12	12W	Ø85XH55 mm	Ø 75 mm	≥ 1200 LM	20 Nos.
CN-8017-20	20W	Ø105XH65 mm	Ø 95 mm	≥ 2000 LM	20 Nos.
CN-8017-30	30W	Ø130XH75 mm	Ø 155 mm	≥ 3000 LM	20 Nos.

Dimension given are for Reference only

HANGING SPOT LIGHT



CN-8010




3K 4K 6K

3 in 1

Body Colour : Wooden + RoseGold




COB SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8018-7	7W	Ø65XH65 mm	Ø 58 mm	≥ 700 LM	20 Nos.
CN-8018-12	12W	Ø85XH80 mm	Ø 75 mm	≥ 1200 LM	20 Nos.
CN-8018-15	15W	Ø85XH80 mm	Ø 75 mm	≥ 1500 LM	20 Nos.
CN-8018-20	20W	Ø85XH80 mm	Ø 75 mm	≥ 2000 LM	20 Nos.

SENSOR SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8019-12	12W	Ø85XH50 mm	Ø 75 mm	≥ 1200 LM	20 Nos.

TINY LASER LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8020-6	6W	Ø 68X30XH35 mm	Ø64X26 mm	≥ 600 LM	20 Nos.
CN-8020-6 (RG)	6W	Ø 68X30XH35 mm	Ø64X26 mm	≥ 600 LM	20 Nos.
CN-8020-12	12W	Ø 120X30XH35 mm	Ø120X26 mm	≥ 1200 LM	20 Nos.
CN-8020-12(RG)	12W	Ø 120X30XH35 mm	Ø120X26 mm	≥ 1200 LM	20 Nos.


COB SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8021-7	7W	Ø 64XH87 mm	Ø 55 mm	≥ 700 LM	20 Nos.
CN-8021-12	12W	Ø 85XH92 mm	Ø 75 mm	≥ 1200 LM	20 Nos.
CN-8021-15	15W	Ø 85XH92 mm	Ø 75 mm	≥ 1500 LM	20 Nos.
CN-8021-20	20W	Ø 85XH100 mm	Ø 75 mm	≥ 2000 LM	20 Nos.


Dimension given are for Reference only

HEAVY DUTY MOVABLE TRACK LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8023-30	30W	Ø 87X100XH180 mm	TRACK	≥ 3000 LM	20 Nos.
CN-8023-50	50W	Ø 105X105XH185 mm	TRACK	≥ 5000 LM	20 Nos.

LOW DEEP SMART COB LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8024-12	12W	Ø 83XH50 mm	Ø 75 mm	≥ 1200 LM	20 Nos.
CN-8024-15	15W	Ø 83XH50 mm	Ø 75 mm	≥ 1500 LM	20 Nos.
CN-8024-20	20W	Ø 123X66 mm	Ø 115 mm	≥ 2000 LM	20 Nos.


CIANA TWIN CONCEAL COB LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8025-7	7W	Ø 68XH50 mm	Ø 55 mm	≥ 700 LM	20 Nos.
CN-8025-12	12W	Ø 83XH63 mm	Ø 75 mm	≥ 1200 LM	20 Nos.
CN-8025-15	15W	Ø 83XH63 mm	Ø 75 mm	≥ 1500 LM	20 Nos.
CN-8025-14	2X7W	Ø 134X70XH50 mm	Ø 120X55 mm	≥ 1400 LM	20 Nos.
CN-8025-24	2X12W	Ø 169X85XH62 mm	Ø 155X75 mm	≥ 2400 LM	20 Nos.
CN-8025-30	2X15W	Ø 169X85XH62 mm	Ø 155X75 mm	≥ 3000 LM	20 Nos.


Dimension given are for Reference only

MOVABLE COB SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8027-7	7W	Ø 68XH50 mm	Ø 55 mm	≥ 700 LM	20 Nos.
CN-8027-12	12W	Ø 83XH63 mm	Ø 75 mm	≥ 1200 LM	20 Nos.

COB SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8028-7	7W	Ø 59XH69 mm	Ø 50 mm	≥ 700 LM	50 Nos.
CN-8028-12	12W	Ø 82XH79 mm	Ø 74 mm	≥ 1200 LM	50 Nos.
CN-8028-15	15W	Ø 82XH79 mm	Ø 74 mm	≥ 1500 LM	50 Nos.
CN-8028-20	20W	Ø 95XH100 mm	Ø 85 mm	≥ 2000 LM	20 Nos.

CIANA HONEY COMB COB LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8029-12	12W	Ø 83XH63 mm	Ø 75 mm	≥ 1200 LM	50 Nos.


MOVABLE LINEAR LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8031-12	12W	Ø 160X55XH35 mm	Ø 152X42 mm	≥ 1200 LM	20 Nos.


Dimension given are for Reference only

CIANA TRIMLESS SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8032-10	10W	Ø 60XH42 mm	Ø 55 mm	≥ 1000 LM	20 Nos.
CN-8032-15	15W	Ø 80XH50 mm	Ø 75 mm	≥ 1500 LM	20 Nos.
CN-8032-18	18W	Ø 110XH62 mm	Ø 95 mm	≥ 1800 LM	20 Nos.

CIANA TRIMLESS SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8035-7	7W	Ø 70XH60 mm	Ø 65 mm	≥ 700 LM	50 Nos.
CN-8035-12	12W	Ø 83XH75 mm	Ø 75 mm	≥ 1200 LM	50 Nos.
CN-8035-15	15W	Ø 83XH75 mm	Ø 75 mm	≥ 1500 LM	50 Nos.

CIANA LED FLEXIBLE LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
CN-8001-3	3W	300 mm	≥ 300 LM	25 Nos.


TRACK LIGHT ACCESSORIES



PRODUCT NAME	DIMENSIONS (IN MM)	BOX PACKING
TRACK PATTI	1 METER	30 Nos.
TRACK PATTI	2 METER	30 Nos.
HANGING ROD	HANGING ROD 1 METER	30 Nos.


Dimension given are for Reference only

METALIC COB LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8033-7	7W	Ø 40XH55 mm	Ø 35 mm	≥ 700 LM	50 Nos.
CN-8033-12	12W	Ø 59XH82 mm	Ø 55 mm	≥ 1200 LM	50 Nos.
CN-8033-15	15W	Ø 59XH82 mm	Ø 55 mm	≥ 1500 LM	50 Nos.
CN-8033-18	18W	Ø 74XH100 mm	Ø 70 mm	≥ 1800 LM	20 Nos.

COB SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8034-7	7W	Ø 62XH82 mm	Ø 55 mm	≥ 700 LM	50 Nos.
CN-8034-12	12W	Ø 72XH82 mm	Ø 65 mm	≥ 1200 LM	50 Nos.
CN-8034-15	15W	Ø 72XH82 mm	Ø 65 mm	≥ 1500 LM	50 Nos.
CN-8034-18	18W	Ø 82XH82 mm	Ø 75 mm	≥ 1800 LM	20 Nos.


COB SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8037-7	7W	Ø 60XH56 mm	Ø 55 mm	≥ 700 LM	50 Nos.
CN-8037-12	12W	Ø 70XH60 mm	Ø 65 mm	≥ 1200 LM	50 Nos.
CN-8037-15	15W	Ø 70XH60 mm	Ø 65 mm	≥ 1500 LM	50 Nos.
CN-8037-18	18W	Ø 80XH70 mm	Ø 75 mm	≥ 1800 LM	20 Nos.


Dimension given are for Reference only

COB SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8038-7	7W	Ø 70XH60 mm	Ø 70 mm	≥ 700 LM	50 Nos.
CN-8038-12	12W	Ø 85XH70 mm	Ø 80 mm	≥ 1200 LM	50 Nos.
CN-8038-15	15W	Ø 85XH70 mm	Ø 80 mm	≥ 1500 LM	50 Nos.
CN-8038-18	18W	Ø 100XH72 mm	Ø 95 mm	≥ 1800 LM	20 Nos.

COB SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8039-7	7W	Ø 80XH65 mm	Ø 75 mm	≥ 700 LM	50 Nos.
CN-8039-12	12W	Ø 90XH75 mm	Ø 85 mm	≥ 1200 LM	50 Nos.
CN-8039-15	15W	Ø 90XH75 mm	Ø 95 mm	≥ 1500 LM	50 Nos.
CN-8039-18	18W	Ø 100XH85 mm	Ø 75 mm	≥ 1800 LM	20 Nos.

COB SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8040-7	7W	Ø 65XH46 mm	Ø 60 mm	≥ 700 LM	50 Nos.
CN-8040-12	12W	Ø 75XH55 mm	Ø 70 mm	≥ 1200 LM	50 Nos.
CN-8040-15	15W	Ø 75XH55 mm	Ø 70 mm	≥ 1500 LM	50 Nos.
CN-8040-18	18W	Ø 90XH57 mm	Ø 85 mm	≥ 1800 LM	20 Nos.

Dimension given are for Reference only

CIANA SURFACE CYLINDER



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8042-3	3W	Ø 55XH35 mm	-	≥ 300 LM	50 Nos.
CN-8042-7	7W	Ø 90XH55 mm	-	≥ 700 LM	50 Nos.
CN-8042-12	12W	Ø 140XH55 mm	-	≥ 1200 LM	50 Nos.

CIANA COB SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8051-7	7W	Ø 65XH78 mm	Ø 55 mm	≥ 700 LM	50 Nos.
CN-8051-12	12W	Ø 82XH85 mm	Ø 75 mm	≥ 1200 LM	50 Nos.
CN-8051-15	15W	Ø 82XH85 mm	Ø 75 mm	≥ 1500 LM	50 Nos.
CN-8051-20	20W	Ø 105XH95 mm	Ø 95 mm	≥ 2000 LM	20 Nos.
CN-8051-24	24W	Ø 105XH95 mm	Ø 95 mm	≥ 2400 LM	20 Nos.

LOW DEEP COB LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8052-7	7W	Ø 62XH43 mm	Ø 55 mm	≥ 700 LM	50 Nos.
CN-8052-12	12W	Ø 82XH45 mm	Ø 75 mm	≥ 1200 LM	50 Nos.
CN-8052-15	15W	Ø 82XH45 mm	Ø 75 mm	≥ 1500 LM	50 Nos.
CN-8052-20	20W	Ø 105XH49 mm	Ø 95 mm	≥ 2000 LM	20 Nos.

Dimension given are for Reference only

CIANA COB SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8053-12	12W	Ø 82XH55 mm	Ø 75 mm	≥ 1200 LM	50 Nos.
CN-8053-15	15W	Ø 82XH55 mm	Ø 75 mm	≥ 1500 LM	50 Nos.

CIANA COB SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8054-7	7W	Ø 68XH48 mm	Ø 60 mm	> 700 LM	50 Nos.
CN-8054-12	12W	Ø 82XH55 mm	Ø 75 mm	> 1200 LM	50 Nos.
CN-8054-15	15W	Ø 82XH55 mm	Ø 75 mm	> 1500 LM	50 Nos.

CIANA COB SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8066-10	10W	Ø 70XH43 mm	Ø 65 mm	≥ 1000 LM	50 Nos.
CN-8066-15	15W	Ø 80XH46 mm	Ø 75 mm	≥ 1500 LM	50 Nos.
CN-8066-20	20W	Ø 90XH54 mm	Ø 85 mm	≥ 2000 LM	50 Nos.

Dimension given are for Reference only

CIANA COB SPOT LIGHT



GUN METAL



ANTIQUE BRASS



ROSE GOLD

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8066-10	10W	Ø 70XH43 mm	Ø 65 mm	≥ 1000 LM	50 Nos.
CN-8066-15	15W	Ø 80XH46 mm	Ø 75 mm	≥ 1500 LM	50 Nos.
CN-8066-20	20W	Ø 90XH54 mm	Ø 85 mm	≥ 2000 LM	50 Nos.

CIANA COB SPOT LIGHT



WH



BLK

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8067-10	10W	Ø 70XH61 mm	Ø 65 mm	≥ 1000 LM	50 Nos.
CN-8067-15	15W	Ø 80XH70 mm	Ø 75 mm	≥ 1500 LM	50 Nos.
CN-8067-20	20W	Ø 90XH80 mm	Ø 85 mm	≥ 2000 LM	50 Nos.

CIANA COB SPOT LIGHT



GUN METAL



ANTIQUE BRASS



ROSE GOLD

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
CN-8067-10	10W	Ø 70XH61 mm	Ø 65 mm	≥ 1000 LM	50 Nos.
CN-8067-15	15W	Ø 80XH70 mm	Ø 75 mm	≥ 1500 LM	50 Nos.
CN-8067-20	20W	Ø 90XH80 mm	Ø 85 mm	≥ 2000 LM	50 Nos.


Dimension given are for Reference only

 <p>BR-1001/ EL-1007</p>	 <p>EL-1002</p>	 <p>EL-1003</p>	 <p>EL-1004</p>	 <p>EL-1005</p>
 <p>EL-1006</p>	 <p>EL-1009</p>	 <p>EL-1010</p>	 <p>EL-2002</p>	 <p>EL-2003</p>
 <p>EL-2004</p>	 <p>EL-3001</p>	 <p>BR-3003</p>	 <p>EL-3001</p>	 <p>EL-3002</p>
 <p>EL-3003</p>	 <p>EL-3004</p>	 <p>BR-1003 / EL-3005</p>	 <p>EL-3007</p>	 <p>EL-3008</p>
 <p>EL-4001</p>	 <p>EL-4003</p>	 <p>EL-5003</p>	 <p>EL-5003</p>	 <p>EL-5004</p>
 <p>EL-5004</p>	 <p>EL-5001</p>	 <p>EL-5002</p>	 <p>EL-2005</p>	 <p>EL-2005</p>
 <p>EL-5010</p>				

PREMIUM CONCEAL LED PANEL



Also available in :
8W | 15W | 22W




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-1001-3	3W	Ø90XH25 mm	Ø80 mm	≥ 240 LM	50 Nos.
EL-1001 / EL-2001-8	8W	Ø120XH25 mm	Ø105 mm	≥ 640 LM	60 Nos.
EL-1001-12	12W	Ø145XH25 mm	Ø130 mm	≥ 960 LM	40 Nos.
EL-1001 / EL-2001-15	15W	Ø170XH25 mm	Ø155 mm	≥ 1200 LM	40 Nos.
EL-1001-18	18W	Ø185XH25 mm	Ø155 mm	≥ 1440 LM	40 Nos.
EL-1001 / EL-2001-22	22W	Ø225XH25 mm	Ø210 mm	≥ 1760 LM	40 Nos.
EL-1007-30	30W	Ø300XH25 mm	Ø285 mm	≥ 2400 LM	10 Nos.

PREMIUM CONCEAL LED PANEL




Also available in :
8W | 15W | 22W




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-1001-3	3W	Ø90X90XH25 mm	Ø80X80 mm	≥ 240 LM	50 Nos.
EL-1001 / EL-2001-8	8W	Ø120X120XH25 mm	Ø105X105 mm	≥ 640 LM	60 Nos.
EL-1001-12	12W	Ø145X145XH25 mm	Ø130X130 mm	≥ 960 LM	40 Nos.
EL-1001 / EL-2001-15	15W	Ø170X170XH25 mm	Ø155X155 mm	≥ 1200 LM	40 Nos.
EL-1001-18	18W	Ø170X170XH25 mm	Ø155X155 mm	≥ 1440 LM	40 Nos.
EL-1001 / EL-2001-22	22W	Ø225X225XH25 mm	Ø210X210 mm	≥ 1760 LM	40 Nos.
EL-1007-30	30W	Ø300X300XH25 mm	Ø285X285 mm	≥ 2400 LM	10 Nos.

Dimension given are for Reference only

TRIMLESS CONCEAL LED PANEL




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-1002-8	8W	Ø90XH25 mm	Ø75 mm	≥ 640 LM	40 Nos.
EL-1002-15	15W	Ø145XH25 mm	Ø125 mm	≥ 1200 LM	20 Nos.
EL-1002-22	22W	Ø170XH25 mm	Ø155 mm	≥ 1760 LM	20 Nos.




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-1002-8	8W	Ø90X90XH25 mm	Ø75X75 mm	≥ 640 LM	40 Nos.
EL-1002-15	15W	Ø145X145XH25 mm	Ø125X125 mm	≥ 1200 LM	20 Nos.
EL-1002-22	22W	Ø170X170XH25 mm	Ø155X155 mm	≥ 1760 LM	20 Nos.

TRIMLESS SURFACE LED PANEL



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-1003-8	8W	Ø90XH28 mm	SURFACE	≥ 640 LM	40 Nos.
EL-1003-15	15W	Ø145XH28 mm	SURFACE	≥ 1200 LM	20 Nos.
EL-1003-22	22W	Ø170XH28 mm	SURFACE	≥ 1760 LM	20 Nos.



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-1003-8	8W	Ø90X90XH28 mm	SURFACE	≥ 640 LM	40 Nos.
EL-1003-15	15W	Ø145X145XH28 mm	SURFACE	≥ 1200 LM	20 Nos.
EL-1003-22	22W	Ø170X170XH28 mm	SURFACE	≥ 1760 LM	20 Nos.

Dimension given are for Reference only

FRAMELESS

LED Light




Back side




Back side



PC PREMIUM CONCEAL LED PANELS



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-1004-8	8W	Ø125XH40 mm	Ø105 mm	≥ 1040 LM	60 Nos.
EL-1004-15	15W	Ø145XH40 mm	Ø125 mm	≥ 1950 LM	40 Nos.
EL-1004-22	22W	Ø165XH40 mm	Ø150 mm	≥ 2860 LM	40 Nos.




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-1004-8	8W	Ø125X125XH40 mm	Ø105X105 mm	≥ 1040 LM	60 Nos.
EL-1004-15	15W	Ø145X145XH40 mm	Ø125X125 mm	≥ 1950 LM	40 Nos.
EL-1004-22	22W	Ø165X165XH40 mm	Ø150X150 mm	≥ 2860 LM	40 Nos.

PERMIUM BACKLIT CONCEAL LED PANEL




Also available in :
8W | 12W | 15W | 22W



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-1005-6	6W	Ø110XH25 mm	Ø 90 mm	≥ 600 LM	50 Nos.
EL-1005-12	12W	Ø150XH25 mm	Ø130 mm	≥ 1200 LM	30 Nos.
EL-1005-18	18W	Ø180XH25 mm	Ø155 mm	≥ 1800 LM	20 Nos.


Also available in :
8W | 12W | 15W | 22W




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-1005-6	6W	Ø110X110XH25 mm	Ø90X90 mm	≥ 600 LM	50 Nos.
EL-1005-12	12W	Ø150X150XH25 mm	Ø130X130 mm	≥ 1200 LM	30 Nos.
EL-1005-18	18W	Ø180X180XH25 mm	Ø155X155 mm	≥ 1800 LM	20 Nos.

Dimension given are for Reference only

DEEP DOWNLIGHTS



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-1006-12	12W	Ø120XH50 mm	Ø100 mm	≥ 1100 LM	40 Nos.
EL-1006-18	18W	Ø150XH50 mm	Ø140 mm	≥ 1600 LM	40 Nos.
EL-1006-24	24W	Ø170XH50 mm	Ø165 mm	≥ 2200 LM	20 Nos.




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-1006-12	12W	Ø120X120XH50 mm	Ø100X100 mm	≥ 1100 LM	40 Nos.
EL-1006-18	18W	Ø150X150XH50 mm	Ø140X140 mm	≥ 1600 LM	40 Nos.
EL-1006-24	24W	Ø170X170XH50 mm	Ø165X165 mm	≥ 2200 LM	20 Nos.

LED DOWNLIGHT IP65



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-1009-10	10W	Ø108XH68 mm	Ø100 mm	≥ 800 LM	50 Nos.
EL-1009-18	18W	Ø163XH68 mm	Ø155 mm	≥ 1520 LM	40 Nos.

BACKLIT LED PANEL (2X2)




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-1010-40	40W	Ø600X600XH30 mm	Ø585X585 mm	≥ 4000 LM	5 Nos.
EL-1010-48	48W	Ø600X600XH30 mm	Ø585X585 mm	≥ 4800 LM	5 Nos.
EL-1008-48	48W	Ø600X600XH30 mm	Ø585X585 mm	≥ 4800 LM	5 Nos.


Edge Lit Panel

Dimension given are for Reference only

DIRECT SMD SURFACE




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-2002-3-R	3W	Ø57XH10 mm	SURFACE	≥ 150 LM	100 Nos.
EL-2002-3-R	3W	Ø57XH10 mm	SURFACE	≥ 150 LM	100 Nos.



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-2002-3-S	3W	Ø61X61XH10 mm	SURFACE	≥ 150 LM	100 Nos.

SURFACE LED LIGHT





PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-2003-3-RD	3W	Ø65X26 mm	SURFACE	≥ 210 LM	100 Nos.



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-2003-3-SQ	3W	Ø60X60XH28 mm	SURFACE	≥ 210 LM	100 Nos.

PC SLIM SURFACE LED PANELS




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-2004-8	8W	Ø120XH23 mm	SURFACE	≥ 640 LM	60 Nos.
EL-2004-15	15W	Ø165XH23 mm	SURFACE	≥ 1200 LM	40 Nos.


Dimension given are for Reference only



CURVE SURFACE PANEL




PC SLIM SURFACE LED PANELS




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-2004-8	8W	Ø120X120XH23 mm	SURFACE	≥ 640 LM	60 Nos.
EL-2004-15	15W	Ø165X165XH23 mm	SURFACE	≥ 1200 LM	40 Nos.

PREMIUM TWIN COLOUR PANELS




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-3001-3+3 (WH+BL WH+PK)	3+3 W	Ø105XH25 mm	Ø90 mm	≥ 240 LM	40 Nos.
EL-3001-6+3 (WH+BL WH+PK)	6+3 W	Ø145XH25 mm	Ø120 mm	≥ 480 LM	40 Nos.
EL-3001-12+4 (WH+BL WH+PK)	12+4 W	Ø195XH25 mm	Ø160 mm	≥ 960 LM	20 Nos.

PREMIUM TWIN COLOUR PANELS



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-3001-3+3 (WH+BL WH+PK)	3+3 W	Ø105X105XH25 mm	Ø90X90 mm	≥ 240 LM	40 Nos.
EL-3001-6+3 (WH+BL WH+PK)	6+3 W	Ø145X145XH25 mm	Ø120X120 mm	≥ 480 LM	40 Nos.
EL-3001-12+4 (WH+BL WH+PK)	12+4 W	Ø195X195XH25 mm	Ø160X160 mm	≥ 960 LM	20 Nos.


SURFACE SPECIAL COAT LED PANELS




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
BR-3003	8W	Ø120X120XH23 mm	SURFACE	≥ 800 LM	40 Nos.
BR-3003	15W	Ø165X165XH23 mm	SURFACE	≥ 1500 LM	40 Nos.
BR-3003	22W	Ø225X225XH23 mm	SURFACE	≥ 1500 LM	40 Nos.

Dimension given are for Reference only

SURFACE TWIN COLOUR PANELS




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-3001-3+3 (WH+BL WH+PK)	3+3 W	Ø105XH25 mm	Ø90 mm	≥ 240 LM	40 Nos.
EL-3001-6+3 (WH+BL WH+PK)	6+3 W	Ø145XH25 mm	Ø120 mm	≥ 480 LM	40 Nos.
EL-3001-12+4 (WH+BL WH+PK)	12+4 W	Ø195XH25 mm	Ø160 mm	≥ 960 LM	20 Nos.




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-3001-3+3 (WH+BL WH+PK)	3+3 W	Ø105X105XH25 mm	Ø90X90 mm	≥ 240 LM	40 Nos.
EL-3001-6+3 (WH+BL WH+PK)	6+3 W	Ø145X145XH25 mm	Ø120X120 mm	≥ 480 LM	40 Nos.
EL-3001-12+4 (WH+BL WH+PK)	12+4 W	Ø195X195XH25 mm	Ø160X160 mm	≥ 960 LM	20 Nos.

PC FRAMELESS CONCEAL LED PANELS




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-3002-9	9W	Ø110XH35 mm	Ø70 mm	≥ 240 LM	50 Nos.
EL-3002-15	15W	Ø155XH35mm	Ø115 mm	≥ 480 LM	20 Nos.
EL-3002-22	22W	Ø190XH35 mm	Ø145 mm	≥ 960 LM	20 Nos.




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-3002-9	9W	Ø110X110XH35 mm	Ø70X70 mm	≥ 240 LM	50 Nos.
EL-3002-15	15W	Ø155X155XH35mm	Ø115X115 mm	≥ 480 LM	20 Nos.
EL-3002-22	22W	Ø190X190XH35 mm	Ø145X145 mm	≥ 960 LM	20 Nos.

Dimension given are for Reference only

PC DETACHABLE CONCEAL LED PANELS




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-3003-8	8W	Ø122XH41 mm	Ø108 mm	≥ 640 LM	20 Nos.
EL-3003-15	15W	Ø172XH41 mm	Ø158 mm	≥ 1290 LM	20 Nos.
EL-3003-22	22W	Ø210XH41 mm	Ø196 mm	≥ 1940 LM	20 Nos.




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-3003-8	8W	Ø122X122XH43.5 mm	Ø108X108 mm	≥ 640 LM	20 Nos.
EL-3003-15	15W	Ø172X172XH43.5 mm	Ø158X158 mm	≥ 1290 LM	20 Nos.
EL-3003-22	22W	Ø210X210XH43.5 mm	Ø196X196 mm	≥ 1940 LM	20 Nos.

PREMIUM CURVE CONCEAL LED PANEL




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-3004-3	3W	Ø82X82 mm	Ø70 mm	≥ 285 LM	100 Nos.
EL-3004-8 / EL-3006-8	8W	Ø112X112 mm	Ø100 mm	≥ 800 LM	60 Nos.
EL-3004-15 / EL-3006-15	15W	Ø160X160 mm	Ø148 mm	≥ 1425 LM	40 Nos.
EL-3004-22/ EL-3006-22	22W	Ø212X212 mm	Ø200 mm	≥ 2090 LM	40 Nos.




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-3004-3	3W	Ø82X82XH82 mm	Ø70X70 mm	≥ 285 LM	100 Nos.
EL-3004-8 / EL-3006-8	8W	Ø112X112XH112mm	Ø100X100 mm	≥ 800 LM	60 Nos.
EL-3004-15 / EL-3006-15	15W	Ø160X160XH160 mm	Ø148X148 mm	≥ 1425 LM	40 Nos.
EL-3004-22/ EL-3006-22	22W	Ø212X212XH212mm	Ø200X200 mm	≥ 2090 LM	40 Nos.

Dimension given are for Reference only

REGULAR SURFACE LED PANEL




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
BR-1003 / EL-3005-8	8W	Ø120X120 mm	SURFACE	≥ 640 LM	40 Nos.
BR-1003 / EL-3005-15	15W	Ø170X170 mm	SURFACE	≥ 1200 LM	20 Nos.
BR-1003 / EL-3005-22	22W	Ø225X225 mm	SURFACE	≥ 1760 LM	20 Nos.
BR-1003 / EL-3005-30	30W	Ø300X300 mm	SURFACE	≥ 2400 LM	10 Nos.




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
BR-1003 / EL-3005-8	8W	Ø120X120 mm	SURFACE	≥ 640 LM	40 Nos.
BR-1003 / EL-3005-15	15W	Ø170X170 mm	SURFACE	≥ 1200 LM	20 Nos.
BR-1003 / EL-3005-22	22W	Ø225X225 mm	SURFACE	≥ 1760 LM	20 Nos.
BR-1003 / EL-3005-30	30W	Ø300X300 mm	SURFACE	≥ 2400 LM	10 Nos.

CONCEAL JUNCTION LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-3007-7	7W	Ø110XH60 mm	Ø80 mm	≥ 420 LM	60 Nos.

PREMIUM LED PANEL




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-3008-8	8W	Ø120XH25 mm	Ø105 mm	≥ 700 LM	60 Nos.
EL-3008-15	15W	Ø172XH25 mm	Ø155mm	≥ 1250 LM	40 Nos.
EL-3008-22	22W	Ø225XH25 mm	Ø205 mm	≥ 1500 LM	40 Nos.

Dimension given are for Reference only



PC BORDERLESS SURFACE PANEL



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-4001-12	12W	Ø100XH28 mm	SURFACE	≥ 1560 LM	40 Nos.
EL-4001-18	18W	Ø120XH28 mm	SURFACE	≥ 2340 LM	40 Nos.
EL-4001-24	24W	Ø140XH28 mm	SURFACE	≥ 3120 LM	40 Nos.




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-4001-12	12W	Ø100X100XH28 mm	SURFACE	≥ 1560 LM	40 Nos.
EL-4001-18	18W	Ø120X120XH28 mm	SURFACE	≥ 2340 LM	40 Nos.
EL-4001-24	24W	Ø140X140XH28 mm	SURFACE	≥ 3120 LM	40 Nos.

DEEP DOWNLIGHTS




Also available in :
6W | 12W | 18W



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-4003-6	6W	Ø84XH30 mm	Ø74 mm	≥ 600LM	40 Nos.
EL-4003-12	12W	Ø110XH30 mm	Ø100 mm	≥ 1200LM	40 Nos.
EL-4003-18	18W	Ø155XH30 mm	Ø145 mm	≥ 1800LM	40 Nos.


PC CURVE SURFACE SMART PANELS



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-5003-8W	8W	Ø145XH25 mm	SURFACE	≥ 1040LM	60 Nos.
EL-5003-15W	15W	Ø175XH25 mm	SURFACE	≥ 1950LM	40 Nos.
EL-5003-22W	22W	Ø175XH25 mm	SURFACE	≥ 2500LM	40 Nos.

Dimension given are for Reference only

PC CURVE SURFACE SMART PANELS




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-5003-8W	8W	Ø145XH25 mm	SURFACE	≥ 1040LM	60 Nos.
EL-5003-15W	15W	Ø175XH25 mm	SURFACE	≥ 1950LM	40 Nos.
EL-5003-22W	22W	Ø175XH25 mm	SURFACE	≥ 2500LM	40 Nos.

PC CONCEAL LED PANELS



White

Teakwood




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-5004-15W	15W	Ø170XH28 mm	Ø150 mm	≥ 1950LM	40 Nos.
EL-5004-15W(Teakwood)	15W	Ø170XH28 mm	Ø150 mm	≥ 1950LM	40 Nos.




White

Teakwood



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-5004-15W	15W	Ø170X170XH28 mm	Ø150X150 mm	≥ 1950LM	40 Nos.
EL-5004-15W(Teakwood)	15W	Ø170X170XH28 mm	Ø150X150 mm	≥ 1950LM	40 Nos.

BORDERLESS SURFACE LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-5001-5	5W	Ø62XH20 mm	SURFACE	≥ 80 LM	50 Nos.
EL-5001-7	7W	Ø72XH20 mm	SURFACE	≥ 80 LM	50 Nos.

Dimension given are for Reference only

BORDERLESS SURFACE LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-5002-3	3W	Ø70XH18 mm	SURFACE	≥ 80 LM	50 Nos.

CONCEAL JUNCTION LIGHT




3W

5W | 7W



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-2005-3	3W	Ø65X65XH40mm	Ø80XH28 mm	≥ 55 LM	60 Nos.
EL-2005-5	5W	Ø110X75XH30mm	Ø110XH28 mm	≥ 75 LM	100 Nos.

CONCEAL JUNCTION LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-2005-9	9W	Ø110X110XH50mm	Ø110XH50 mm	≥ 75 LM	60 Nos.
WOODEN FINISH				≥ 75 LM	60 Nos.
MATT GOLD/ANTIQU BRASS/COPPER/SILVER				≥ 75 LM	60 Nos.

ELLINOR FULL GLOW STRIKER



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
EL-5010-3	3W	-			

Dimension given are for Reference only

				
AL-220	AL-222	AL-223	AL-225	AL-1004
				
AL-2003	AL-1007	AL-2005	AL-2002	AL-2004
				
AL-2008	AL-3001	AL-3002	AL-3003	AL-3004
				
AL-3005	AL-3006	AL-3007	AL-3008	AL-3009



ALLEY FOOT LIGHT

ALLEY FOOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-220-3	3W	Ø 55XH40 mm	Ø 45 mm	≥ 240 LM	20 Nos.

ALLEY FOOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-222-3	3W	Ø 55XH40mm	Ø 45 mm	≥ 240 LM	20 Nos.

ALLEY FOOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-223-3	3W	Ø 55X55XH40 mm	Ø 45X45 mm	≥ 240 LM	20 Nos.

ALLEY FOOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-225-3	3W	Ø 55X55XH40 mm	Ø 45X45 mm	≥ 240 LM	20 Nos.

ALLEY FOOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-1002-1	1W	Ø 78XH45 mm	Ø 40 mm		


Dimension given are for Reference only

ALLEY FOOT LIGHT





PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-1004-3	3W	Ø 83X83XH28mm	Ø 70X70 mm	≥ 240 LM	50 Nos.
AL-1004-3 (OTHER)	3W	Ø 83X83XH28mm	Ø 70X70 mm	≥ 240 LM	50 Nos.

COMPACT FOOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-1007-6	6W	Ø 180X85XH30 mm	Ø 160X65 mm	≥ 480 LM	20 Nos.

ALLEY SURFACE FOOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-2002-4	4W	Ø 90X70XH45 mm	SURFACE	≥ 320 LM	50 Nos.
AL-2002-8	8W	Ø 150X70XH45 mm	SURFACE	≥ 640 LM	50 Nos.

ALLEY FOOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-2003-5	5W	Ø90X90XH30 mm	Ø75X75 mm	≥ 400 LM	50 Nos.


ALLEY FOOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-2004-1	1W	Ø 87XH55 mm	Ø 82 mm	≥ 80 LM	20 Nos.


Dimension given are for Reference only

ALLEY SENSOR FOOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-2005-5 (AL-1004)	5W	Ø 85X85XH35 mm	Ø 65X65 mm	≥ 400 LM	50 Nos.

ALLEY FOOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-2007-3	3W	Ø 45XH35 mm			

ALLEY FOOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-2008-3	3W	Ø 87XH55 mm	Ø 82 mm	≥ 240 LM	20 Nos.

ALLEY FOOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-2008-3	3W	Ø 87X87XH50 mm	Ø 82X82 mm	≥ 240 LM	20 Nos.

ALLEY FOOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-3001-3	3W	Ø 115X85XH40 mm	Ø 95X95 mm	≥ 240 LM	20 Nos.

Dimension given are for Reference only

ALLEY FOOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-3002-6	6W	Ø 210X60XH35 mm	Ø 190X43 mm	≥ 240 LM	20 Nos.

ALLEY FOOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-3003-3	3W	Ø 150X60XH33 mm	Ø 90X44 mm	≥ 240 LM	20 Nos.

ALLEY FOOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-3004-5	5W	Ø 210X60XH35 mm	Ø 185X45 mm	≥ 400 LM	20 Nos.

ALLEY FOOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-3005-3	3W	Ø 85X85XH30 mm	Ø 45X65 mm	≥ 240 LM	20 Nos.

ALLEY FOOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-3006-3	3W	Ø 85X85XH30 mm	Ø 45X65 mm	≥ 240 LM	20 Nos.

Dimension given are for Reference only

ALLEY FOOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-3007-3	3W	Ø 85X85XH30 mm	Ø 45X65 mm	≥ 240 LM	20 Nos.

ALLEY FOOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-3008-3	3W	60 mm x Ø 50 mm	Ø 40 mm	≥ 240 LM	20 Nos.

ALLEY FOOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-3009-3	3W	60 mm x Ø 45 mm	Ø 50 mm	≥ 240 LM	20 Nos.

ALLEY FOOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
AL-3011					

Dimension given are for Reference only



AVENUE LIGHT



AV-3001




AV-3002

AVENUE FOUNTAIN LIGHT



12 VOLT




*Please add adapter to run this light

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
AV-3001-3	3W	Ø 90X120 mm	≥ 300 LM	20 Nos.
AV-3001-3 (RGB)	3W	Ø 90X120 mm	≥ 300 LM	20 Nos.
AV-3001-6	6W	Ø 120X150 mm	≥ 600 LM	20 Nos.
AV-3001-6 (RGB)	6W	Ø 120X150 m	≥ 600 LM	20 Nos.
AV-3001-9	9W	Ø 145X180 mm	≥ 900 LM	12 Nos.
AV-3001-9 (RGB)	9W	Ø 145X180 mm	≥ 900 LM	12 Nos.
AV-3001-12	12W	Ø 155X210 mm	≥ 1200 LM	12 Nos.
AV-3001-12 (RGB)	12W	Ø 155X210 mm	≥ 1200 LM	12 Nos.

AVENUE UNDER WATER LIGHT




12 VOLT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
AV-3002-6 (RGB)	6W	Ø130 mm	≥ 600 LM	20 Nos.
AV-3002-9 (RGB)	9W	Ø 160 mm	≥ 900 LM	10 Nos.
AV-3002-12 (RGB)	12W	Ø 180 mm	≥ 1200 LM	10 Nos.

AVENUE IN-GROUND LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
AV-1001-3	3W	Ø42 mm	≥ 300 LM	50 Nos.
AV-1001-5	5W	Ø 80X42 mm	≥ 500 LM	50 Nos.
AV-1001-10	10W	Ø 120X100 mm	≥ 1000 LM	20 Nos.

Dimension given are for Reference only

AVENUE DRIVE WAY LIGHT

1 Way



3K

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
AV-2001-3	3W	Ø 90X120 mm	≥ 300 LM	50 Nos.

AVENUE DRIVE WAY LIGHT

2 Way / 3 Way / 4 Way



3K

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
AV-2002-3 (SN)	3W	Ø 120X150 mm	≥ 300 LM	50 Nos.
AV-2002-3 (PKW)	3W	Ø145X180 mm	≥ 300 LM	50 Nos.

UNDER WATER LIGHT ADAPTAR




for Av-3001 / 3002

PRODUCT CODE	POWER	BOX PACKING
AC-12V	10W	20 Nos.
AC-12V	15W	20 Nos.
AC-12V	20W	20 Nos.
AC-12V	30W	20 Nos.
AC-12V	40W	20 Nos.
AC-12V	60W	20 Nos.
AC-12V	100W	4 Nos.

Dimension given are for Reference only



BLAZE LED TUBELIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
BL-1002-36+1	36+1(4FT)	Ø43X30XH595mm	≥ 3600 LM	25 Nos.

BLAZE LED TUBELIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
BL-1009-9	9 (1FT)	Ø76X35XH316mm	≥ 765 LM	20 Nos.
BL-1009-18	18 (1.5FT)	Ø76X35XH552mm	≥ 1530 LM	20 Nos.

HANGING PROFILE



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
BL-1010	40 W	Ø56X33XH1183mm	≥ 3200 LM	20 Nos.

Dimension given are for Reference only




Dimension given are for Reference only

Follow us on   

WWW.LIGHTBERRY.IN




HEAVY DUTY COB SPOT LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
GL-1001-3	3W	Ø70XH70 mm	Ø55 mm	≥ 270 LM	100 Nos.
GL-1001-6	6W	Ø85XH85 mm	Ø75 mm	≥ 540 LM	50 Nos.
GL-1001-9	9W	Ø110XH110 mm	Ø85 mm	≥ 810 LM	50 Nos.
GL-1001-12	12W	Ø110XH110 mm	Ø85 mm	≥ 1080 LM	50 Nos.
GL-1001-15	15W	Ø110XH110 mm	Ø85 mm	≥ 1350 LM	20 Nos.
GL-1001-20	20W	Ø125XH125 mm	Ø112 mm	≥ 1800 LM	20 Nos.
GL-1001-24	24W	Ø140XH14 0mm	Ø124 mm	≥ 2160 LM	50 Nos.
GL-1001-30	30W	Ø140XH140 mm	Ø124 mm	≥ 2700 LM	20 Nos.
GL-1001-40	40W	Ø160XH160 mm	Ø135 mm	≥ 3600 LM	20 Nos.

SMART COB LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
GL-4001-3	3W	Ø70X35XH38.5 mm	Ø 38.5 mm	≥ 300 LM	50 Nos.
GL-4001-3 (OTHER)	3W	Ø70X35XH38.5 mm	Ø 38.5 mm	≥ 300 LM	50 Nos.

SMART MOVABLE COB LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
GL-4002-3	3W	Ø110X63XH75 mm	Ø 75 mm	≥ 300 LM	50 Nos.

MOVABLE COB LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
GL-4003-3	3W	Ø75XH42 mm	Ø 48 mm	≥ 300 LM	50 Nos.
GL-4003-6	6W	Ø94XH44 mm	Ø 66 mm	≥ 600 LM	50 Nos.


Dimension given are for Reference only

LOW DEEP COB LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
GL-1003-3	3W	Ø72X72XH18 mm	Ø 60 mm	≥ 210 LM	100 Nos.
GL-1003-6	6W	Ø82X82XH20 mm	Ø 70 mm	≥ 420 LM	100 Nos.
GL-1003-9	9W	Ø87X87XH21 mm	Ø 75 mm	≥ 630 LM	50 Nos.
GL-1003-15	15W	Ø106X106XH130 mm	Ø 95 mm	≥ 1050 LM	20 Nos.

REGULAR LED COB LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
GL-3002-3	3W	Ø63XH28 mm	Ø 55 mm	≥ 300 LM	50 Nos.
GL-3002-3 (PK/BL)	3W	Ø63XH28 mm	Ø 55 mm	≥ 300 LM	50 Nos.
GL-3002-6	6W	Ø88XH42 mm	Ø 76 mm	≥ 600 LM	50 Nos.
GL-3002-9	9W	Ø88XH53 mm	Ø 76 mm	≥ 900 LM	50 Nos.
GL-3002-12	12W	Ø88XH53 mm	Ø 76 mm	≥ 1200 LM	50 Nos.
GL-3002-18/20	18/20W	Ø115XH50 mm	Ø 98 mm	≥ 1800/2000 LM	20 Nos.
GL-3002-24	24W	Ø135XH61 mm	Ø 123 mm	≥ 2400 LM	20 Nos.
GL-3002-30	30W	Ø135XH71 mm	Ø 123 mm	≥ 3000 LM	10 Nos.
GL-3002-50	50W	Ø160XH100 mm	Ø 143 mm	≥ 5000 LM	10 Nos.


REGULAR LED COB LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
GL-3002-3	3W	Ø63XH28 mm	Ø 55 mm	≥ 300 LM	50 Nos.
GL-3002-6	6W	Ø88XH42 mm	Ø 76 mm	≥ 600 LM	50 Nos.
GL-3002-9	9W	Ø88XH53 mm	Ø 76 mm	≥ 900 LM	50 Nos.
GL-3002-12	12W	Ø88XH53 mm	Ø 76 mm	≥ 1200 LM	50 Nos.


Dimension given are for Reference only

BRIDGELUX FIXED COB SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
GL-1002-10	10W	Ø100X100XH60 mm	Ø 75 mm	≥ 1000 LM	50 Nos.
GL-1002-15	15W	Ø125X125XH65 mm	Ø 100 mm	≥ 1500 LM	20 Nos.
GL-1002-20	20W	Ø150X150XH65 mm	Ø 125 mm	≥ 2000 LM	20 Nos.
GL-1002-30	30W	Ø175X175XH80 mm	Ø 150 mm	≥ 3000 LM	20 Nos.


HEAVY DUTY COB SPOT LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
GL-3003-30	30W	Ø 160XH115 mm	Ø 140 mm	≥ 3000 LM	10 Nos.
GL-3003-40	40W	Ø 160XH130 mm	Ø 140 mm	≥ 4000 LM	10 Nos.
GL-3003-50	50W	Ø 160XH130 mm	Ø 140 mm	≥ 5000 LM	10 Nos.

Dimension given are for Reference only



				
ML-2012	ML-1011	ML-1011	ML-1002	ML-1010
				
ML-2011	ML-1003	ML-1006	ML-1004	ML-2012
				
ML-1601/ML-1503	ML-W03-R/ML-W03-S	ML-8003/ML-9519	ML-3006	ML-3001
				
ML-4009	ML-3006/ML-3199	ML-2001/ML-5001	ML-3006/ML-1502	ML-5006R/ML-7004R
				
ML-5005/ML-5009	ML-9006/ML-9008	ML-7007/ML-6013	ML-7005/ML-7006	ML-8010/ML-6006
				
ML-2806/ML-2010	ML-2003	ML-3002	ML-3004	ML-3008/ML-3009
				
ML-2017/ML-2031	ML-2023/ML-2027	ML-1018	ML-1012/ML-1015	ML-2041




 <p>ML-2042</p>	 <p>ML-2014</p>	 <p>ML-6001/ML-1020</p>	 <p>ML-4008</p>	 <p>ML-6004/ML-6011</p>
 <p>ML-6007/ML-6008</p>	 <p>ML-76107/ML-108</p>	 <p>ML-4001</p>	 <p>ML-4002/ML-4007</p>	 <p>ML-6002/ML-1021</p>
 <p>ML-1005</p>	 <p>ML-4010</p>	 <p>ML-8002</p>	 <p>ML-8005</p>	 <p>ML-27093</p>
 <p>ML-27095</p>	 <p>ML-2033</p>	 <p>ML-2045</p>	 <p>ML-7004</p>	 <p>ML-8016</p>
 <p>ML-8015/8014</p>				



MOONLIT
OUTDOORLIGHTS
Yes we are rain proof




HEAVY DUTY FLOOD LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-2012-20	20W	Ø 185X185XH50mm	≥ 2400 LM	10 Nos.
ML-2012-30	30W	Ø 185X185XH50mm	≥ 3600 LM	10 Nos.
ML-2012-50	50W	Ø 235X230XH60mm	≥ 6000 LM	10 Nos.
ML-2012-100	100W	Ø 290X280XH70mm	≥ 12000 LM	10 Nos.
ML-2012-200	200W	Ø 330X340XH80mm	≥ 24000 LM	5 Nos.
ML-2012-300	300W	Ø 420X375XH71mm	≥ 36000 LM	5 Nos.
ML-2012-400	400W	Ø 420X375XH71mm	≥ 48000 LM	5 Nos.

ULTRA SLIM FLOOD LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-1011-50	50W	Ø225X175XH40 mm	≥ 5000 LM	20 Nos.
ML-1011-100	100W	Ø285X185XH45 mm	≥ 10000 LM	20 Nos.


ULTRA SLIM FLOOD LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-1001-30	30W	Ø230X195XH50 mm	≥ 3600 LM	10 Nos.
ML-1001-50 (RGB)	50W	Ø285X240XH60 mm	≥ 6000 LM	10 Nos.
ML-1001-200	200W	Ø395X315XH85 mm	≥ 24000 LM	4 Nos.

Dimension given are for Reference only

HEAVY DUTY FLOOD LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-1002-20	20W	Ø180X185XH45 mm	≥ 2400 LM	20 Nos.
ML-1002-30	30W	Ø225X230XH50 mm	≥ 3600 LM	10 Nos.
ML-1002-50	50W	Ø275X285XH60 mm	≥ 6000 LM	5 Nos.
ML-1002-100	100W	Ø295X290XH65 mm	≥ 12000 LM	4 Nos.
ML-1002-150	150W	Ø315X335XH100 mm	≥ 18000 LM	2 Nos.
ML-1002-300	300W	Ø430X400XH125 mm	≥ 36000 LM	1 Nos.

ANTI-GLARE FLOOD LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-1010-30	30W	Ø220X155XH40 mm	≥ 3600 LM	50 Nos.
ML-1010-100	100W	Ø325X225XH50 mm	≥ 12000 LM	20 Nos.


LED HIGH BAYLIGHT UFO SERIES



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-2011-50	50W	Dia 245 mm	≥ 6000 LM	12 Nos.
ML-2011-100	100W	Dia 245 mm	≥ 12000 LM	12 Nos.
ML-2011-150	150W	Dia 340 mm	≥ 18000 LM	12 Nos.
ML-2011-200	200W	Dia 340 mm	≥ 24000 LM	12 Nos.


Dimension given are for Reference only

HEAVY DUTY SMD LED STREET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-1003-15	15W	Ø85XD275XH50 mm	≥ 1800 LM	15 Nos.
ML-1003-24	24W	Ø100XD350XH60 mm	≥ 2880 LM	24 Nos.
ML-1003-30	30W	Ø135XD390XH60 mm	≥ 3600 LM	20 Nos.
ML-1003-36	36W	Ø130XD400XH60 mm	≥ 4320 LM	20 Nos.
ML-1003-50	50W	Ø215XD495XH80 mm - P-40 mm	≥ 6000 LM	10 Nos.
ML-1003-60	60W	Ø200XD470XH70 mm - P-60 mm	≥ 7200 LM	10 Nos.
ML-1003-75	75W	Ø215XD500XH75 mm	≥ 9000 LM	4 Nos.
ML-1003-150	150W	Ø210XD115XH35 mm	≥ 18000 LM	4 Nos.
ML-1003-200	200W	Ø210XD115XH35 mm	≥ 24000 LM	4 Nos.

LED LENS STREET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-1006-24	24W	Ø110XD260XH40 mm	≥ 2880 LM	20 Nos.
ML-1006-36	36W	Ø130XD330XH50 mm	≥ 4320 LM	20 Nos.
ML-1006-50	50W	Ø160XD370XH50 mm	≥ 6000 LM	10 Nos.
ML-1006-100	100W	Ø185XD450XH50 mm	≥ 12000 LM	10 Nos.


COB STREET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-1004-30	30W	Ø183XD123XH45mm	≥ 3600 LM	4 Nos.
ML-1004-50	50W	Ø500XD210XH70mm	≥ 6000 LM	4 Nos.
ML-1004-100	100W	Ø720XD285XH110mm	≥ 12000 LM	1 Nos.

Dimension given are for Reference only

EXTRA BRIGHT STREET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-1009-30 (C)	30W	Ø120XD85XH380 mm	≥ 3600 LM	10 Nos.
ML-1009-24	24W	Ø132XD65XH380 mm	≥ 2880 LM	20 Nos.
ML-1009-30	30W	Ø132XD65XH380 mm	≥ 3600 LM	20 Nos.
ML-1009-50	50W	Ø132XD65XH380 mm	≥ 6000 LM	20 Nos.
ML-1009-100	100W	Ø132XD80XH415 mm	≥ 12000 LM	10 Nos.

OUTDOOR WALL LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-201729-12	12W	Ø245X120XH80 mm	≥ 1200 LM	20 Nos.
ML-1601-12	12W	Ø120X120XH55 mm	≥ 360 LM	30 Nos.
ML-8004-12	12W	Ø160X160XH50 mm	≥ 1200 LM	20 Nos.
ML-2004-9	9W	Ø140XH85 mm	≥ 900 LM	40 Nos.
ML-1503-5	5W	Ø150X150XH65 mm	≥ 450 LM	20 Nos.
ML-1805-9	9W	Ø140XH220 mm	≥ 900 LM	20 Nos.

OUTDOOR WALL LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-1806-9	9W	Ø 140XH220 mm	≥ 900 LM	20 Nos.
ML-1022-6	2X3W	Ø 140XH220 mm	≥ 600 LM	20 Nos.
ML-W03-10-R	10W	Ø165XH100 mm	≥ 560 LM	20 Nos.
ML-W03-10-S	10W	Ø160X160XH100 mm	≥ 560 LM	12 Nos.
ML-901-5	5W	Ø 64X94XH98 mm	≥ 560 LM	30 Nos.
ML-201732-12	12W	Ø 245X120XH80 mm	≥ 1200 LM	20 Nos.

Dimension given are for Reference only

OUTDOOR WALL LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-201730-12	12W	Ø245X120XH80 mm	≥ 1200 LM	20 Nos.
ML-8003-14	14W	Ø 200X100XH105 mm	≥ 1400 LM	12 Nos.
ML-201712-2-10	10W	Ø 225X40XH70 mm	≥ 900 LM	30 Nos.
ML-959-12	12W	Ø 230X155XH90 mm	≥ 1080 LM	20 Nos.
ML-1502-6	2X3W	Ø142X80XH63 mm	≥ 560 LM	40 Nos.
ML-9519-7	7W	Ø130X50XH165 mm	≥ 560 LM	20 Nos.

OUTDOOR WALL LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-9520-14	14W	Ø 130X50XH240 mm	≥ 1400 LM	20 Nos.
ML-9528-7	7W	Ø 135XH70 mm	≥ 700 LM	20 Nos.
ML-3006-2	2W	Ø 80X38XH70 mm	≥ 200 LM	50 Nos.
ML-3006-4	4W	Ø 115X38XH78 mm	≥ 400 LM	40 Nos.
ML-3006-6	6W	Ø 168X45XH78 mm	≥ 600 LM	20 Nos.
ML-3006-8	8W	Ø 220X80XH45 mm	≥ 800 LM	20 Nos.


OUTDOOR UP-DOWN LIGHT

(With Lense)



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-3001-6	6W	Ø 65XD95XH100 mm	≥ 600 LM	20 Nos.
ML-3001-12	2X6W	Ø 65XD110XH100 mm	≥ 1200 LM	20 Nos.

Dimension given are for Reference only



LED Highbay Light

WATTS : 50W, 100W, 150W, 200W

**MAXIMIZE ILLUMINATION IN
INDUSTRIAL AND COMMERCIAL SPACES**



LIGHTBERRY[®]
SMART LIGHTING SMART IDEAS
AN ISO 9001:2015 Certified Company

WATERPROOF SURFACE CYLINDER



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-4009-5	5W	Ø 60XH80 mm	≥ 500 LM	50 Nos.
ML-4009-10	10W	Ø 90XH160 mm	≥ 1000 LM	20 Nos.
ML-4009-15	15W	Ø 90XH160 mm	≥ 1500 LM	20 Nos.
ML-4009-18	18W	Ø 90XH160 mm	≥ 1800 LM	20 Nos.

OUTDOOR WALL LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-3006-10	10W	Ø270X80XH40 mm	≥ 1000 LM	20 Nos.
ML-3006-12	12W	Ø78X38XH115 mm	≥ 1200 LM	40 Nos.
ML-3199/4B-4	4W	Ø122XH122 mm	≥ 450 LM	20 Nos.
ML-3006-8(MATT GOLD)	8W	Ø220X50XH90 mm	≥ 800 LM	20 Nos.
ML-3006-10(MATT GOLD)	10W	Ø270X40XH80 mm	≥ 1000 LM	20 Nos.
ML-2503-15	15W	Ø115X82XH225 mm	≥ 1260 LM	20 Nos.

OUTDOOR WALL LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-2001-12	12W	Ø 164X205XH55 mm	≥ 450 LM	20 Nos.
ML-5001-6	6W	Ø 120X120XH50 mm	≥ 600 LM	20 Nos.
ML-3006-6-R	6W	Ø 80X38XH70 mm	≥ 600 LM	50 Nos.
ML-3006-12-R	12W	Ø 115X38XH78 mm	≥ 1200 LM	40 Nos.
ML-3006-18-R	18W	Ø 168X45XH78 mm	≥ 1800 LM	20 Nos.
ML-3006-30-R	30W	Ø 270X80XH40 mm	≥ 3000 LM	20 Nos.

Dimension given are for Reference only

OUTDOOR WALL LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-3006-36-R	36W	Ø 320X80XH45 mm	≥ 3600 LM	20 Nos.
ML-3006-2(WOODEN)	2W	Ø 80X38XH70 mm	≥ 200 LM	50 Nos.
ML-1502-6-R	2X3W	Ø 80X63XH142 mm	≥ 600 LM	40 Nos.
ML-5001-6-R	6W	Ø 120X50XH120 mm	≥ 600 LM	20 Nos.
ML-5004-12-R	12W	Ø 100XH90 mm	≥ 1200 LM	20 Nos.
ML-3006-24-R	24W	Ø 220X50XH90 mm	≥ 2400 LM	20 Nos.

OUTDOOR WALL LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-5006-12-R	12W	Ø 75XH60 mm	≥ 1200 LM	50 Nos.
ML-7004-3-R	3W	Ø 75X80XH63 mm	≥ 270 LM	50 Nos.
ML-5003-2(WH/GR)	2W	Ø 110X110XH42 mm	≥ 200 LM	50 Nos.
ML-5003-4(WH/GR)	4W	Ø 110X110XH42 mm	≥ 400 LM	50 Nos.
ML-2005-10(3K/4K/6K)	10W	Ø 150X75XH40 mm	≥ 1000 LM	20 Nos.
ML-2005-10(Other Color)	10W	Ø 150X75XH40 mm	≥ 1000 LM	20 Nos.


OUTDOOR WALL LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-2005-20(3K/4K/6K)	20W	Ø 245X120XH80 mm	≥ 1200 LM	20 Nos.
ML-2005-20(Other Color)	20W	Ø 245X120XH80 mm	≥ 360 LM	20 Nos.
ML-5005-10	10W	Ø 110X110XH95 mm	≥ 750 LM	20 Nos.
ML-5005-12	12W	Ø 110X110XH95 mm	≥ 840 LM	20 Nos.
ML-5009-5	5W	Ø 62XH85 mm	≥ 500 LM	20 Nos.
ML-9005-6	6W	Ø 100X100XH135 mm	≥ 600 LM	20 Nos.


Dimension given are for Reference only

OUTDOOR WALL LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-9006-5	5W	Ø 100XH100 mm	≥ 500 LM	20 Nos.
ML-9007-3	1X1.5W	Ø 40XH55 mm	≥ 300 LM	20 Nos.
ML-9008-5	5W	Ø 60XH15 mm	≥ 1200 LM	20 Nos.
ML-9009-3	1X1.5W	Ø 50X35XH130 mm	≥ 300 LM	20 Nos.
ML-9010-2	2W	Ø 40XH55 mm	≥ 200 LM	20 Nos.
ML-8006-4	4W	Ø 145X45XH120 mm	≥ 400 LM	20 Nos.

OUTDOOR WALL LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-7007-10	10W	Ø 75X85XH150 mm	≥ 1000 LM	20 Nos.
ML-7009-10	10W	Ø 60X100XH135 mm	≥ 1000 LM	30 Nos.
ML-8001-12	12W	Ø210XH180 mm	≥ 1200 LM	20 Nos.
ML-6012-12	12W	Ø 110X110XH42 mm	≥ 1200 LM	20 Nos.
ML-6013-10	10W	Ø 100X65XH100 mm	≥ 1000 LM	20 Nos.
ML-6014-8	8W	Ø 100X65XH100 mm	≥ 800 LM	20 Nos.

OUTDOOR WALL LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-7005-6	6W	Ø 150X150XH150 mm	≥ 600 LM	20 Nos.
ML-7005-6-R	6W	Ø 150X150XH150 mm	≥ 600 LM	20 Nos.
ML-7006-8	8W	Ø 185XH185 mm	≥ 800 LM	20 Nos.
ML-7006-8-R	8W	Ø 185XH185 mm	≥ 800 LM	20 Nos.
ML-8007-20	20W	Ø 50XH220 mm	≥ 2000 LM	20 Nos.
ML-8008-20	20W	Ø 220X55XH220 mm	≥ 2000 LM	20 Nos.

Dimension given are for Reference only

OUTDOOR WALL LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-8010-3	3W	Ø 75X80XH63 mm	≥ 300 LM	20 Nos.
ML-8011-6	2X3W	Ø 142X80XH63 mm	≥ 600 LM	20 Nos.
ML-6003-12	2X6W	Ø 50X125XH85 mm	≥ 1200 LM	10 Nos.
ML-6006-5	5W	Ø 90X150XH157 mm	≥ 500 LM	30 Nos.
ML-6006-10	2X5W	Ø 245X120XH80 mm	≥ 1000 LM	30 Nos.
ML-6006-12	12W	Ø 90X150XH258 mm	≥ 1200 LM	20 Nos.

OUTDOOR WALL LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-6006-24	2X12W	Ø108X167XH258 mm	≥ 2400 LM	20 Nos.
ML-6010-5	5W	Ø 65X113XH130 mm	≥ 500 LM	30 Nos.
ML-6010-10	2X5W	Ø 65X113XH158 mm	≥ 1000 LM	30 Nos.
ML-6010-12	12W	Ø 108X167XH160 mm	≥ 1200 LM	20 Nos.
ML-6010-24	2X12W	Ø 108X167XH258 mm	≥ 2400 LM	20 Nos.
ML-7004-3	3W	Ø 75X80XH63 mm	≥ 270 LM	50 Nos.
ML-2806-15	15W	Ø 200X200XH45 mm	≥ 1350 LM	20 Nos.
ML-2010-7	7W	Ø 220XH150 mm	≥ 1020 LM	12 Nos.

HIGHLIGHTER LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-2003-10	10W	Ø 70XH155 mm	≥ 1000 LM	50 Nos.

Dimension given are for Reference only

OUTDOOR WALL LIGHT




PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-3002-4	4W	Ø 110X95XH53 mm	≥ 400 LM	20 Nos.
ML-3002-8	8W	Ø 230X95XH53 mm	≥ 800 LM	20 Nos.

OUTDOOR WALL LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-3004-6	6W	Ø 105X86XH96 mm	≥ 600 LM	20 Nos.
ML-3004-12	2X6W	Ø 105X96XH131 mm	≥ 1200 LM	20 Nos.

OUTDOOR WALL LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-3008-12	12W	Ø 180X65XH210 mm	≥ 1200 LM	20 Nos.
ML-3008-12+1	12+1W	Ø 180X65XH210 mm	≥ 1300 LM	20 Nos.
ML-3009-2X6	2X6W	Ø 105X105XH131 mm	≥ 1200 LM	20 Nos.
ML-3009-6	6W	Ø 105X86XH96 mm	≥ 600 LM	20 Nos.

OUTDOOR GATE LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-2016-15	15W	Ø 150XH200 mm	≥ 1800 LM	12 Nos.
ML-2017-20	20W	Ø 150XH200 mm	≥ 2400 LM	12 Nos.
ML-2018-20	20W	Ø 200XH350 mm	≥ 2400 LM	12 Nos.
ML-2021-20	15+5 W	Ø 150XH200 mm	≥ 2400 LM	12 Nos.
ML-2031-15	15W	H 350 mm	≥ 1800 LM	12 Nos.

Dimension given are for Reference only

ALUMINIUM GATE LIGHT



ML-2023



ML-2024



ML-2025



ML-2027



ML-2028



ML-2029



ML-2030



ML-2032


PRODUCT CODE	HOLDER TYPE	DIMENSIONS (IN MM)	LAMP TYPE	BOX PACKING
ML-2023	B-22	Ø 230	E-27	12 Nos.
ML-2024	B-22	Ø 300	E-27	12 Nos.
ML-2025	B-22	Ø 225	E-27	12 Nos.
ML-2027	B22	Ø 300	E-27	12 Nos.
ML-2028	B-22	Ø 600	E-27	12 Nos.
ML-2029	B-22	Ø 600	E-27	12 Nos.
ML-2030	B-22	Ø 600	E-27	12 Nos.
ML-2032 (300mm)	E-27	Ø 300	E-27	12 Nos.
ML-2032 (600mm)	E-27	Ø 600	E-27	12 Nos.
ML-2032 (900mm)	E-27	Ø 900	E-27	12 Nos.

OUTDOOR WALL LIGHT



White Black Grey

ML-1018-1WAY / 2WAY



Texture

ML-1018-1WAY / 2WAY




White Black Grey

ML-1018-3WAY / 4WAY



Texture

ML-1018-3WAY / 4WAY



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML1018-2 (1Way)	2W	Ø 75x75xH55 mm	≥ 200 LM	20 Nos.
ML1018-2 (Texture 1Way)	2W	Ø 75x75xH55 mm	≥ 200 LM	20 Nos.
ML1018-4-(2Way)	4W	Ø 75x75xH55 mm	≥ 400 LM	20 Nos.
ML1018-4-(Texture 2Way)	4W	Ø 75x75xH55 mm	≥ 400 LM	20 Nos.
ML1018-5-(3Way)	5W	Ø 75x75xH55 mm	≥ 500 LM	20 Nos.
ML1018-5-(Texture 3Way)	5W	Ø 75x75xH55 mm	≥ 500 LM	20 Nos.
ML1018-6-(6Way)	6W	Ø 75x75xH55 mm	≥ 600 LM	20 Nos.
ML1018-6-(Texture 4Way)	6W	Ø 75x75xH55 mm	≥ 600 LM	20 Nos.

Dimension given are for Reference only



ML-2042



ML-1018



ML-2033



ML-8005



ML-3004



ML-3009



ML-7005



ML-4002-18W



ML-2016



ML-2017



ML-2018



ML-2021



ML-2023



ML-2024



ML-2025



ML-2031



ML-6001



ML-1020



ML-6004



ML-6011

OUTDOOR WALL LIGHT



ML-1012



ML-1013



ML-1014



ML-1015



ML-1016



ML-1017



3K

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-1012-3	3W	L80XW70XD40 mm	≥ 300 LM	20 Nos.
ML-1013-3	3W	L120XW60XD35 mm	≥ 300 LM	20 Nos.
ML-1014-3	3W	Ø 90X35 mm	≥ 300 LM	20 Nos.
ML-1015-5	5W	Ø 105X35 mm	≥ 500 LM	20 Nos.
ML-1016-6	6W	L100XW100XD100 mm	≥ 600 LM	20 Nos.
ML-1017-10	10W	Ø 80X40 mm	≥1000 LM	20 Nos.

OUTDOOR WALL & SELLING LIGHT



3K

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-2041-4	4W	Ø 90X40 mm	≥ 400 LM	20 Nos.
ML-2041-8	8W	Ø 120X45 mm	≥ 800 LM	20 Nos.
ML-2041-12	12W	Ø 180X35 mm	≥ 1200 LM	20 Nos.

OUTDOOR WALL LIGHT



3W



5W



6W




3W



6W



5W



3K

4K

6K

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-2042-3-(2 WAY)	3W	Ø 80X85X40 mm	≥ 300 LM	20 Nos.
ML-2042-5 (4 WAY)	5W	Ø 115X80X40 mm	≥ 500 LM	20 Nos.
ML-2042-6 (6 WAY)	6W	Ø 172X85X45 mm	≥ 600 LM	20 Nos.

Dimension given are for Reference only

OUTDOOR WALL & SELLING LIGHT



ML-2014



ML-2015



3K

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-2014-7	7W	Ø 55X66XH72 mm	≥ 700 LM	20 Nos.
ML-2015-20	20W	Ø 212 mm	≥ 2000 LM	20 Nos.

OUTDOOR WALL LIGHT



ML-6001-SQ



ML-1020-RD



3K

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-6001-10-S	10W	Ø 100XH160 mm	≥ 1000 LM	12 Nos.
ML-1020-10-R	10W	Ø 160X160XH100 mm	≥ 1000 LM	12 Nos.

GARDEN BOLLARD LIGHT



3K

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-4008-5 (400,600 mm)	5W	H 400 mm	≥ 500 LM	12 Nos.

Dimension given are for Reference only

GARDEN BOLLARD LIGHT



ML-6004

ML-6011



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-6004-7	7W	Ø 160X160XH200 mm	≥ 700 LM	12 Nos.
ML-6011-7	7W	Ø 160XH200 mm	≥ 700 LM	6 Nos.

GARDEN BOLLARD LIGHT



ML-6007

ML-6008



3K



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-6007-6	6W	H 600 mm	≥ 600 LM	1 Nos.
ML-6008-12	12W	H 600 mm	≥ 1200 LM	1 Nos.

GARDEN BOLLARD LIGHT



600MM

ML-76107

600MM

ML-76106

600MM

ML-108

600MM

ML-27098



3K



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-76107-7	7W	H 600 mm	≥ 700 LM	6 Nos.
ML-76106-12(300mm)	12W	H 300 mm	≥ 1200 LM	6 Nos.
ML-76106-12(600mm)	12W	H 600 mm	≥ 1200 LM	6 Nos.
ML-76106-12(900mm)	12W	H 900 mm	≥ 1200 LM	6 Nos.
ML-108-12	12W	H 600 mm	≥ 1200 LM	6 Nos.
ML-27098-12	12W	H 700 mm	≥ 1200 LM	6 Nos.

OUTDOOR BOLLARD LIGHT



600MM

ML-4001-6+3

350MM

ML-4001-6



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-4001-6+3	6+3W	Ø 85XH600 mm	≥ 900 LM	10 Nos.
ML-4001-6	6W	Ø 85XH350 mm	≥ 600 LM	10 Nos.

Dimension given are for Reference only

GARDEN BOLLARD LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-4002-12	12W	H 600 mm	≥ 1200 LM	10 Nos.
ML-4002-18	18W	H 300 mm	≥ 1800 LM	10 Nos.
ML-4004-6	6W	H 400 mm	≥ 600 LM	10 Nos.
ML-4005-12	12W	H 600 mm	≥ 1200 LM	10 Nos.
ML-4007-5	5W	H 400 mm	≥ 500 LM	10 Nos.

GARDEN BOLLARD LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-4011-6	6W	H 600 mm	≥ 600 LM	10 Nos.
ML-4003-6	6W	H 600 mm	≥ 600 LM	10 Nos.
ML-6002-7-R	7W	H 300 mm	≥ 700 LM	12 Nos.
ML-1021-7-S	7W	H 200 mm	≥ 700 LM	12 Nos.
ML-4006-6	6W	H 600 mm	≥ 600 LM	10 Nos.
ML-109-12	12W	H 600mm	≥ 1200 LM	10 Nos.

OUTDOOR SPIKE LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-1005-3	3W	Ø 70X50XH230 mm	≥ 300 LM	50 Nos.
ML-1005-12	12W	Ø 117X76XH295 mm	≥ 1200 LM	20 Nos.
ML-1005-16	16W	Ø 86X60XH303 mm	≥ 1600 LM	20 Nos.

OUTDOOR SPIKE LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-4010-5	5W	Ø 80X70XH280 mm	≥ 500 LM	50 Nos.

Dimension given are for Reference only

OUTDOOR SPIKE LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-8002-3	3W	Ø 70XH160 mm	≥ 300 LM	20 Nos.
ML-8002-7	7W	Ø 100XH250 mm	≥ 700 LM	20 Nos.
ML-8002-9	9W	Ø 100XH250 mm	≥ 900 LM	20 Nos.

OUTDOOR SPIKE LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-8005-3	3W	Ø 45XH70 mm	≥ 300 LM	30 Nos.
ML-8005-7	7W	Ø 65XH100 mm	≥ 700 LM	20 Nos.

OUTDOOR GATE LIGHT



ML- 27093




ML- 27094



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	BOX PACKING
ML-27093	E-27	Ø 160X160XH175 mm	12 Nos.
ML-27094	E-27	Ø 225X270XH225 mm	12 Nos.

OUTDOOR GATE LIGHT



ML- 27095



ML- 27096



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	BOX PACKING
ML-27095	E-27	Ø160XH160 mm	12 Nos.
ML-27096	E-27	Ø 265XH265 mm	12 Nos.

Dimension given are for Reference only

OUTDOOR UP-DOWN LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-2033-7	7W	Ø 70X70XH65 mm	≥ 700 LM	20 Nos.

OUTDOOR UP-DOWN LIGHT



ML-2045-6W

ML-2046-12W



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-2045-6	6W	Ø 65X85XH85 mm	≥ 600 LM	20 Nos.
ML-2046-12	2X6W	Ø 70X80XH155 mm	≥ 1200 LM	20 Nos.

OUTDOOR WALL LIGHT ECO SERIES



ML-7004

ML-1502



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-7004-5	1X5W	Ø 75X80XH63 mm	≥ 500 LM	20 Nos.
ML-1502-10	2X5W	Ø 142X80XH63 mm	≥ 1000 LM	20 Nos.

OUTDOOR BEAM LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (mm)	BOX PACKING
ML-8016-20	20W	Ø 130X100XH140 mm	SURFACE	10 Nos.

Dimension given are for Reference only

OUTDOOR FACADE LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (mm)	BOX PACKING
ML-8017-24	24W	Ø 180X90XH225 mm	SURFACE	10 Nos.
ML-8015-36	36W	Ø 180X90XH225 mm	SURFACE	10 Nos.

OUTDOOR FACADE LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (mm)	BOX PACKING
ML-8014-48	48W	Ø 230X100XH280 mm	SURFACE	10 Nos.

OUTDOOR SPIKE LIGHT



3K

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	LUMENS	BOX PACKING
ML-2047-7	7W			
ML-2047-9	9W			


Dimension given are for Reference only



Dimension given are for Reference only

Follow us on   

WWW.LIGHTBERRY.IN



SPARKLE CABINET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
S-216-3	3W	Ø 38X38XH25 mm	Ø30 mm	≥ 300 LM	50 Nos.

SPARKLE CABINET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
S-217-3	3W	Ø 30XH25 mm	Ø30 mm	≥ 300 LM	50 Nos.

SPARKLE CABINET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
S-219-3	3W	Ø 38X38XH25 mm	Ø30 mm	≥ 300 LM	100 Nos.

SPARKLE CABINET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
S-234-3	3W	Ø 48XH30 mm	Ø42 mm	≥ 300 LM	100 Nos.

SPARKLE CABINET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
S-205-1	1W	Ø 35XH25 mm	Ø25 mm	≥ 100 LM	100 Nos.

Dimension given are for Reference only

SPARKLE CABINET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
S-211-3	3W	Ø 38X38XH25 mm	Ø30 mm	≥ 300 LM	50 Nos.

SPARKLE CABINET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
S-218-3	3W	Ø38XH25 mm	Ø30 mm	≥ 300 LM	50 Nos.

SPARKLE CABINET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
S-214-3	3W	Ø38XH32 mm	Ø32 mm	≥ 300 LM	50 Nos.

SPARKLE CABINET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
S-229-3-R	3W	Ø 38X38XH25 mm	Ø30 mm	≥ 300 LM	100 Nos.
S-229-3-S	3W	Ø 38X38XH25 mm	Ø30 mm	≥ 300 LM	100 Nos.

SPARKLE CABINET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
S-206-3	3W	Ø38XH30 mm	Ø28 mm	≥ 300 LM	50 Nos.

Dimension given are for Reference only



SPARKLE CABINET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
S-208-3	3W	Ø43XH35 mm	Ø33 mm	≥ 300 LM	50 Nos.

SPARKLE CABINET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
S-207-3	3W			≥ 300 LM	50 Nos.
S-207-1.5	1.5W	Ø33XH28 mm	Ø23 mm	≥ 150 LM	50 Nos.
S-209-1.5	1.5W	Ø33XH28 mm	Ø23 mm	≥ 150 LM	50 Nos.

SPARKLE CABINET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
S-210-3 (Inbuilt Driver)	3W	Ø38XH28 mm	Ø28 mm	≥ 300 LM	50 Nos.
S-210-3 (with Driver)	3W	Ø38XH28 mm	Ø28 mm	≥ 300 LM	50 Nos.

SPARKLE CABINET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
S-121-3	3W	Ø40XH25 mm	Ø30 mm	≥ 300 LM	100 Nos.

Dimension given are for Reference only

SPARKLE CABINET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
S-105-1.5	1.5W	Ø33XH20 mm	Ø23 mm	≥ 150 LM	200 Nos.

SPARKLE CABINET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
S-005-1	1W	ØW38XH25 mm	Ø32 mm	≥ 100 LM	100 Nos.

SPARKLE CABINET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
S-235-2	2W	Ø 45XH25 mm	Ø35 mm	≥ 200 LM	50 Nos.

SPARKLE CABINET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
S-106-3	3W	Ø 43XH23 mm	Ø28 mm	≥ 300 LM	50 Nos.

SPARKLE CABINET LIGHT



PRODUCT CODE	POWER	DIMENSIONS (IN MM)	CUT-OUT (IN MM)	LUMENS	BOX PACKING
S-212					

Dimension given are for Reference only



SMPS STRIP DRIVER



PR. CODE	WATT	STD. PKG
LBPP-2A (Eco Driver PC)	24W	100
LBPP-2A	24W	50
LBPP-3A	36W	50
LBPP-5A	60W	50
LBPP-8.3A	100W	50
LBPP-10A	120W	50
LBPP-12.5A	150W	50
LBPP-16.5A	180W	20
LBPP-20A	250W	20
LBPP-25A	240W	20
LBPP-30A	360W	20
LBPP-33A	400W	20



SMPS ECO STRIP DRIVER



PR. CODE	WATT	STD. PKG
LBPP-5A	60W	50
LBPP-10A	120W	50
LBPP-16.5A	180W	20



Dimension given are for Reference only

DIMMABLE DRIVER (Triac Dimming)



PR. CODE	WATT	STD. PKG
DIMMABLE DRIVER-8W	8W	20
DIMMABLE DRIVER-12W	12W	20
DIMMABLE DRIVER-15W	15W	20
DIMMABLE DRIVER-20W	20W	20
DIMMABLE DRIVER-24W	24W	20

COMMON DRIVE FOR OUR ALL COB AND PANELS OF SAME WATTAGE CAN WORK WITH LIGHT DIMMER

LED PANEL DRIVER



WATT	STD. PKG
1 2 3	200
4 5 6 7	200
8 9 10 12	200
13 15 18	200
20 22 24	200
30	50
48	50
8 (3IN1)	100
15 (3IN1)	100
22 (3IN1)	100
8-24 WATT	100



OUTDOOR LED DRIVERS



WATT	STD. PKG
20W	1PC
30W	1PC
50W	1PC



Dimension given are for Reference only



HALOGEN FITTINGS



PR. CODE	STD. PKG
LB-370(PKW)	50
LB-306(PKW)	50
LB-306(SN)	50










*Above prices are for only fittings without lamp



Dimension given are for Reference only

Follow us on

WWW.LIGHTBERRY.IN

				
12V 5050-WHITE	12V 5050-3K/4K	12V 5050-BLUE	12V 5050-GREEN	12V 5050-RED
				
12V 5050-PINK	12V 60-2835-WHITE/4K	12V 60-2835-3K	12V 60-2835-BLUE	12V 60-2835-GREEN
				
12V 60-2835-RED	12V 60-2835-PINK	12V 60-2835-AMBER	12V 60-2835-ICE BLUE	2835-120 LED
				
2835-180 LED	2835-240 LED	5050-60 LED	10MM 5730 120L-BLUE	10MM 5730 120L-RED
				
10MM 5730 120L-WHITE	12MM 5050 96L-RGB	10MM 5730 120L-AMBER	10MM 5730 120L-PINK	10MM 5730 120L-GREEN
				
10MM 5730 120L-WW	2835-144 LED	2835-144 LED		


Dimension given are for Reference only

Follow us on   

WWW.LIGHTBERRY.IN

LUMIERE LED STRIP

VOLT	COLOUR	STD. PACKING
12V 5050	WHITE	250m
12V 5050	3K/4K	250m
12V 5050	BLUE	250m
12V 5050	GREEN	250m
12V 5050	RED	250m
12V 5050	PINK	250m



LUMIERE LED STRIP

VOLT	COLOUR	STD. PACKING
12V 60-2835	WHITE/4K	250m
12V 60-2835	3K	250m
12V 60-2835	BLUE	250m
12V 60-2835	GREEN	250m
12V 60-2835	RED	250m
12V 60-2835	PINK	250m
12V 60-2835	AMBER	250m
12V 60-2835	ICE BLUE	250m



LED PROFILE STRIP

PR.DES	COLOUR	STD. PACKING
2835-120 LED	3K/4K/6K	250m
2835-180 LED	3K/4K	250m
2835-240 LED	3K/4K/6K	250m



LED RGB STRIP (WITH REMOTE)

PR.DES	COLOUR
5050-60 LED	RGB



**NO WARRANTY
FOR REMOTE**

Dimension given are for Reference only

LUMIERE LED ROPE LIGHT

PR.CODE	COLOUR	STD. PACKING
10MM 5730 120L	BLUE	50m
10MM 5730 120L	RED	50m
10MM 5730 120L	WHITE	50m
10MM 5730 120L	WW	50m
10MM 5730 120L	PINK	50m
10MM 5730 120L	GREEN	50m
12MM 5050 96L	RGB	50m
10MM 5730 120L	AMBER	50m



LUMIERE LED ROPE LIGHT

PR.CODE	COLOUR	STD. PACKING
2835-144 LED	3K 4K 6K BL	50 MTR
2835-144 LED	GR ICE BL PK RD	50 MTR



ACCESSORIES FOR ROPE LIGHT

PR.DES	STD. PACKING
FOR SINGLE	300/-
FOR RGB	200/-
REMOTE FOR RGB	100/-



NO WARRANTY FOR REMOTE AND ACCESSORIES

Dimension given are for Reference only

Follow us on   

WWW.LIGHTBERRY.IN

 <p>MG-1001</p>	 <p>MG-1002</p>	 <p>MG-1003</p>	 <p>MG-1004</p>	 <p>MG-1005</p>
 <p>MG-1006</p>	 <p>MG-1007</p>	 <p>MG-1008</p>	 <p>MG-1009</p>	 <p>MG-1010</p>

Dimension given are for Reference only

Follow us on   

WWW.LIGHTBERRY.IN



MAGNETIC LASER LIGHT



4K

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	VOLTAGE	LUMENS	BOX PACKING
MG-1001-6	6W	L120XW26XH20 mm	48V	≥ 500 LM	30 Nos.
MG-1001-12	12W	L232XW26XH20 mm	48V	≥ 1000 LM	30 Nos.

MAGNETIC DIFFUSER LASER BLADE



4K

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	VOLTAGE	LUMENS	BOX PACKING
MG-1002-10 (300mm)	10W	L232XW26XH20 mm	48V	≥ 800 LM	30 Nos.
MG-1002-20 (600mm)	20W	L575XW26XH20 mm	48V	≥ 1600 LM	30 Nos.

MAGNETIC CONCEAL TRACK LIGHT



4K

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	VOLTAGE	LUMENS	BOX PACKING
MG-1003-12	12W	Ø 50XH90 mm	48 V	≥ 900 LM	30 Nos.

MAGNETIC LASER TRACK LIGHT



4K

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	VOLTAGE	LUMENS	BOX PACKING
MG-1004-10	10W	L60XW55XH45	48 V	≥ 800 LM	30 Nos.

Dimension given are for Reference only

MAGNETIC SLIM HANGING LIGHT



4K

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	VOLTAGE	LUMENS	BOX PACKING
MG-1005-12	12W	Ø 300 mm	48V	≥ 960 LM	30 Nos.

MAGNETIC MOVABLE LASER LIGHT



4K

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	VOLTAGE	LUMENS	BOX PACKING
MG-1006-6	6W	L125XW30XH50 mm	48V	≥ 500 LM	30 Nos.
MG-1006-12	12W	L240XW30XH50 mm	48V	≥ 1000 LM	30 Nos.

MAGNETIC SURFACE TRACK PATTI



4K

PRODUCT CODE	METTER	DIMENSIONS (IN MM)	BOX PACKING
MG-1007-1 MTR	1M	W25 mm	10 Nos.
MG-1007-2 MTR	2M	W25 mm	10 Nos.

MAGNETIC CONCEAL TRACK PATTI



4K

PRODUCT CODE	METTER	DIMENSIONS (IN MM)	BOX PACKING
MG-1008-1 MTR	1M	W25 mm	10 Nos.
MG-1008-2 MTR	2M	W25 mm	10 Nos.

Dimension given are for Reference only

MAGNETIC DRIVER



4K

PRODUCT CODE	POWER	DIMENSIONS (IN MM)	OPERATING VALUE	BOX PACKING
MG-1009-100	100W	L 235X W26XH20 mm	175-265 V	10 Nos.
MG-1009-200	200W	L 300X W26XH20 mm	175-265 V	10 Nos.


MAGNETIC CONNECTOR



4K

PRODUCT CODE	CONNCTOR	BOX PACKING
MG-1010-S	S-CONNECTOR	20 Nos.
MG-1010-L	L-CONNECTOR	20 Nos.

Dimension given are for Reference only



WIFI LIGHTS
 WORKING ON SMART LIFE APP

REMOTE RF-LIGHT

- High Efficiency, Flicker Free
- Communication Protocol: RF 2.4G
- Control Method: Remote Controller
- Dimming Range: 5%-100%
- One Output: Dimmable Driver
- Two Output: Dimmable & Color temp
- Adjustable Driver
- Controllable Groups



BLUETOOTH
 works on




Lamp
 Smart Pro



FEATURES OF WIFI SMART LIGHT



WIFI



OKAY



WORKING ON SMART LIFE APP
ALSO WORK WITH

HEY ALEXA, TURN ON THE LIGHT.



WORKING ON 4E'S

- EASY TO OPERATE
- EASY TO CONNECT
- ECONOMICAL
- EASY TO UNDERSTAND



Voice Control :
Conveniently control lights with your voice using Amazon Alexa* and Google Assistant*



Control From Anywhere :
Forgot to turn off your lights? Now control lights from anywhere in the world with smart life app



Mood Lighting :
Can use predefined scene/ mode or create your own to match lighting to suit your mood



Schedule & Use Light As Timer :
Set automatic schedules for turning on and off light as per requirement.



Dimmable & Energy Saving :
Save more energy by adjusting brightness of light between 100% to 10% as per your need

*WIFI products be customised as per any Panel and Cob, with features like colour change, Dimming, Timer

Follow us on / www.lightberry.in

REMOTE
RF-LIGHT

REMOTE LED LIGHT



- High Efficiency, Flicker Free
- Communication Protocol : RF 2.4G
- Control Method : Remote Controller
- Dimming Range : 5% - 100%
- One Output : Dimmable Driver
- Two Output : Dimmable & Color temp
- Adjustable Driver
- Controllable Groups : Up to 99 Groups (99 lights in each Group)

FEATURES

*Remote products be customised as per any Panel and Cob, with features like colour change, Dimming, Timer.

Follow us on    / www.lightberry.in

BLUETOOTH

New Edge Economical Remote Operated Panel

How to connect?

Turn on the light that needs to be connected and then press the "Setup" button within 3 seconds. The light flashes & the connection is successful.

How to Delete?

Turn on the lamp to be deleted, press the "All On" button within 3 seconds and press it for 5 seconds and the lamp flashes and the deletion is successful.


How to Group?

Turn on the light that needs to be grouped & then press the "On" & "Off" buttons of the grouping button at the same time within 3 seconds. The light flashes & the grouping is successful.

Salient Features



Works on



Can Operate 400 Panels in a Group of Four



 **allkey** - ALL FOOT LIGHTS
FOOT LIGHTS

 **AVENUE** - ALL PATH LIGHTS
PATH LIGHTS

 **BLAZE** - ALL LED TUBE LIGHTS
LED TUBE LIGHT

 **Brighton** - ALL LED PANEL
LED PANEL

 **Ciana** - THINK SMART
think smart

 **ellinor** - ALL LED PANEL LIGHTS
LED PANEL LIGHTS

 **GLARE** - ALL SPOT LIGHTS
SPOT LIGHT

 **MOONLIT** - ALL OUTDOOR LIGHTS
OUTDOOR LIGHTS
Yes we are rain proof

 **PowerPLUS** - LED POWER SUPPLY
LED POWER SUPPLY

 **SMARTY** - WIFI LIGHT
The Wi-Fi Light

 **Sparkle** - CABINET LIGHT
Cabinet Light

OUR RANGE OF PRODUCT



LIGHT BERRY®

SMART LIGHTING SMART IDEAS
AN ISO 9001:2015 Certified Company

GET IN TOUCH

 LIGHTBERRY INNOVATIVE IDEAS PRIVATE LIMITED

UNIT-1

W-100 D, PAWANE VILLAGE, ROAD,
TTC, INDUSTRIAL AREA, MIDC INDUSTRIAL AREA,
KOPAR KHAIRANE, NAVI MUMBAI,
MAHARASHTRA- 400709, INDIA.

UNIT-2

W-109, PAWANE VILLAGE, ROAD,
TTC, INDUSTRIAL AREA, MIDC INDUSTRIAL AREA,
KOPAR KHAIRANE, NAVI MUMBAI,
MAHARASHTRA- 400709, INDIA.



✉ lightberryindia@gmail.com /  www.lightberry.in



Follow Us For More  